การสร้างแบบจำลองทางคณิตศาสตร์ และการจำลองกระบวนการ ปั้นเม็ดปุ๋ยเอ็นพีเค



นาย วิสุทธิ์ วชิรบัญชร

วิทยานิพนธ์นี้เป็นส่วนหนึ่งของการศึกษาตามหลักสูตรปริญญาวิศวกรรมศาสตรมหาบัณฑิต
ภาควิชาวิศวกรรมเคมี สาขาวิศวกรรมเคมี
บัณฑิตวิทยาลัย จุฬาลงกรณ์มหาวิทยาลัย
ปีการศึกษา 2540
ISBN 974-637-668-3
ลิขสิทธิ์ของบัณฑิตวิทยาลัย จุฬาลงกรณ์มหาวิทยาลัย

MATHEMATICAL MODELING AND SIMULATION OF NPK GRANULATION PROCESS

Mr. Wisut Wachirabanchorn

A Thesis Submitted in Partial Fulfillment of the Requirements for the Degree of Master of Engineering in Chemical Engineering Department of Chemical Engineering

Graduate School
Chulalongkorn University
Academic Year 1997
ISBN 974-637-668-3

Copyright of the Graduate School, Chulalongkorn University

Thesis Title Mathematical Modeling and Simulation of

NPK Granulation Process.

By Mr. Wisut Wachirabanchorn

Department Chemical Engineering

Thesis Advisor Professor Wiwut Tanthapanichakoon, Ph.D.

Accepted by the Graduate School, Chulalongkorn University in Partial Fulfillment of the Requirements for the Master's Degree.

Separate School

(Professor Supawat Chutivongse, M.D.)

Thesis Committee

Ovolita Chymial Chairman

(Assistant Professor Vichitra Chongvisal, Ph.D.)

Mint Tanthapanichekoon Thesis Advisor

(Professor Wiwut Tanthapanichakoon, Ph.D.)

Sindsal 18 duil Member

(Jirdsak Tscheikuna, Ph.D)

พิมพ์ตันฉบับบทกัดย่อวิทยาบิพบธ์กายในกรณฑ์เกียวบับพฤษแล่งเลียว

717702

: MAJOR CHEMICAL ENGNEERING

KEY WORD: GRANULATION

WISUT WACHIRABANCHORN: MATHEMETICAL MODELING AND SIMULATION OF NPK GRANULATION PROCESS.

THESIS ADVISOR: PROF. WIWUT TANTAPANICHAKOON, Ph.D.: 127 pp. ISBN 974-637-668-3

The discretized population balance model of Hounslow (Houslow et al., 1988) is modified by Adetayo (1993) to obtain a mathematical model of the granulation process. The resulting sequential two-stage kernel follows the observed granulation mechanism adequately and is able to predict the shape of the granule size distribution for the full range of experimental data. A size-independent kernel is used for the first stage of growth while a size-dependent kernel models the second stage. The extent of granulation within the first stage, given by k_1t_1 , is found to be proportional to the fractional liquid saturation of the granules. Here, k_1 represents the rate constant for the first stage of growth and t_1 represents the time required to reach the final equilibrium size distribution for the first stage. A critical fractional water saturation S_{crit} , is necessary for the second stage of granulation to occur leading to further growth. For $S_{sat} < S_{crit}$, the second stage does not exist ($k_2 \approx 0$) an equilibrium size distribution is reached at time t_1 .

The present research adopts Adetayo's model, which is written in FORTRAN 77 tested and debugged. Validation of the component models (drum granulator, screen and crusher) is next carried out along with the corresponding sensitivity study of each constituent component model. Based on the actual plant data, the granulator model parameters are estimated for the fertilizer grade 16-16-18. Finally, a guideline on how to estimate the parameters of a industrial-scale model from those obtained with a small-scale granulator from those of a lab-scale one is explained and simulation of a industrial-scale granulation process is carried out to see the effect of the liquid phase content on the process performance. Simulation results show that the recycle ratio goes through a minimum as the liquid content increases.

ภาควิชา	วิศวกรรมเคมี	ลายมือชื่อนิสิตวิรุกร์
สาขาวิชา	วิศวกรรมเคมี	ลายมือชื่ออาจารย์ที่ปรึกษา 🕽 🗸 ภาคา.พนักอ.
ปีการศึกษา	2540	ลายมือชื่ออาจารย์ที่ปรึกษาร่วม

พระพัฒนองขนางกัดย่อวิทยานัพน**ธ์กายในกรอบสีเพียวนี้เพีย**งแผ่นเดียว

วิสุทธิ์ วชิรบัญชร : การสร้างแบบจำลองทางคณิตศาสตร์ และการจำลองกระบวนการปั้นเม็ดปุ๋ยเอ็นพีเค (MATHEMATICAL MODELING AND SIMULATION OF NPK GRANULATION PROCESS) อ. ที่ปรึกษา : ศ. ดร. วิวัฒน์ ตัณฑะพานิชกุล, 127 หน้า. ISBN 974-637-668-3

Adetayo (1993) ได้สร้างแบบจำลองทางคณิตศาสตร์สำหรับกระบวนการปั้นเม็ด โดยการดัดแปลงแบบ จำลองประเภทดุลประชากร (discretized population balance) ของ Hounslow (Hounslow et al., 1988) ผลการ ทำนายที่ได้จากสมมติฐานของกลไกการปั้นเม็ด โดยอาศัยแก่นสองลำดับชั้น (sequential two-stage kernel) สามารถ ทำนายลักษณะการกระจายตัวของเม็ดได้เป็นอย่างดีที่ทุกผลการทดลอง แก่นที่ไม่ขึ้นกับขนาดเป็นกลไกสำหรับการปั้น เม็ดในขั้นที่ 1 ส่วนแก่นที่ขึ้นกับขนาดเป็นกลไกสำหรับการปั้นเม็ดในขั้นที่ 2 ระดับของการปั้นเม็ดในขั้นที่ 1 ซึ่งแสดงด้วย k_1t_1 จะเป็นสัดส่วนโดยตรงกับปริมาณของเหลวในเม็ด , S_{xat} ในที่นี้ k_1 คือค่าคงที่ของอัตราการปั้นเม็ดสำหรับขั้นที่ 1 และ t_1 เป็นเวลาที่ทำให้การกระจายขนาดของเม็ดเข้าสู่จุดอิ่มตัว (equilibrium) ค่าวิกฤตของสัดส่วนความชื้นอิ่มตัว (S_{crit}) จำเป็นสำหรับการเกิดกระบวนการปั้นเม็ดในขั้นที่สอง ในกรณีที่ S_{xat} < S_{crit} จะไม่เกิดการปั้นเม็ดในขั้นที่สอง (S_{crit}) และการกระจายขนาดของเม็ดจะเข้าสู่จุดอิ่มตัว (equilibrium) ที่เวลา t_1

งานวิจัยนี้ได้ประยุกต์แบบจำลองทางคณิตศาสตร์ของ Adetayo โดยเขียน โปรแกรมขึ้นด้วยภาษาฟอร์แทรน 77 หลังทำการทดสอบและแก้ที่ผิด จากนั้นได้ตรวจสอบความถูกต้องของแบบจำลองแต่ละหน่วยที่เป็นส่วนประกอบ ของกระบวนการอันได้แก่ เครื่องปั้นเม็ดแบบครัม เครื่องคัดขนาดและเครื่องบด แล้วทำการศึกษาความไว (sensitivity) ของแบบจำลองแต่ละหน่วยข้างต้นโดยอาศัยข้อมูลจริงของปุ้ยสูตร 16-16-8 จากโรงงาน ได้ประเมินค่าพารามิเตอร์ของ เครื่องปั้นเม็ดแบบครัม สุดท้ายได้อธิบายแนวทางสำหรับการประเมินค่าพารามิเตอร์ของแบบจำลองระดับอุตสาหกรรม จากค่าที่หาได้จากแบบจำลองระดับเล็ก และได้ทำการจำลองกระบวนการปั้นเม็ดระดับอุตสาหกรรม เพื่อการศึกษาผลที่ ปริมาณของวัฏภาคของเหลวมีต่อสมรรถนะของกระบวนการ ผลการจำลองพบว่า อัตราส่วนของสายเวียนกลับจะลดลง ผ่านจุดต่ำสุดในขณะที่ความชื้นเพิ่มขึ้นเรื่อย ๆ

ภาควิชา	วิศวกรรมเคมี	ลายมือชื่อนิสิต
สาขาวิชา	วิศวกรรมเคมี	ลายมือชื่ออาจารย์ที่ปรึกษา วัวนี้ สามาเมื่อง
ปีการศึกษา	2540	ลายมือชื่ออาจารย์ที่ปรึกษาร่วม

ACKNOWLEDGEMENT

The author would like to express his highest gratitude to Professor Dr.Wiwut Tanthapanichkoon for his inspirational advice, guidance and supervision during this research study. He is also grateful to Assistant Professor Dr. Vichitra Chongvisal and Dr.Jirdsak Tscheikuna for serving as chairman and member of the thesis committee as well as Associate Professor Dr. Ura Pancharoen for his kind support.

He wishes to express his deep appreciation to Prof. J.D. Lister, University of Queensland, Australia, for his valuable advice and sending of reference materials on granulation technology.

Most of all, the author would like to express his highest gratitude to his parents for their inspiration and encouragement during his research.

He would like to thank National Fertilizer Public Company Limited for providing the data and Department of Chemical Engineering, Chulalongkom University.

Finally, many thanks also go to his friends and all those who have encouraged him over the years of his study.

CONTENTS

					PAGE
ABSTF	RACT	(IN EN	GLISH)		i
ABSTE	RACT	(IN THA	λI)		ii
ACKN	OWL	EDGEM	ENT		iii
LIST C	OF TA	BLES			iv
CHAP	TER				
	1	INTROE	DUCTION		1
	1.1	Introduc	ction to G	ranulated Fertilizer	1
		1.1.1	Overvie	w of world fertilizers	1
		1.1.2	Overvie	w of Thailand fertilizers	5
		1.1.3	Knowled	dge of NP/NPK fertilizer	6
		1.1.4	Process	Description To NP/NPK Fertilizer Granulation Proces	ss8
	1.2	Objectiv	ves of Th	esis	10
	1.3 Scope of Work 2 FUNDAMENTAL CONCEPT OF GRANULATION MECHANIS			10	
	2.1			f Granulation Mechanism	
	۷.۱		·	ecular Level to Granulation	
				The particle-particle attractive forces	
				Interparticle bridge bonding	
		2.1.2	Macroso	copic Analysis of Granulation Mechanisms	14
			2.1.2.1	Granule growth mechanism and the proposed	j
				growth kinetics	14
			2.1.2.2	Effect of some factors on the granulation	20
				- Granulation Kinetics	
				- Effect of initial particle size distribution	
				 Effect of liquid phase content 	

- Effect of binder properties

		- Granule deformability and consolidation		
2.2	Predicti	ion of Granulation Regime From the Dynamic Pendular		
	Bond A	nalysis	24	
	2.2.1	Limitations of Ennis's analysis as applied to drum		
		granulation	29	
2.3	The Pro	ppose of a Two Stages Granulation Mechanism.	30	
	2.3.1	Explanation in term of Ennis's theory.	34	
3	LITERA	ATURE SURVEY OF GRANULATION		
	PROCE	ESS SIMULATION	35	
3.1	A Revie	ew of Drum Granulator Models	35	
	3.1.1	The drum granulator model	35	
		- Lister's Model		
		- Sherrington's Model		
		- Adetayo's Model		
	3.1.2	The Screens Model	39	
		3.1.2.1 Screen model as applied to the granulation		
		process	40	
	3.1.3	The Crusher Model	41	
		3.1.3.1 Crusher model as applied to the granulation		
		process	43	
3.2	The Population Balance Modeling For Drum Granulator			
	3.2.1	The Population Balance Equation	46	
	3.2.2	The Hounslow's Model	48	
3.3	Solutio	n to Population Balance Equation	50	
	3.3.1	The coalescence kernel	50	
		3.3.1.1 The two-stage coalescence kernel	51	
		3.3.1.2 Estimation of the coalescence rate constants	53	
4	SIMUL	ATION TECHNIQUE	54	
4.1	Data Manipulation and Analysis			
	4.1.1	Measuring the particle size		
	4.1.2	Relationship between Number, Volume and Mass		
		of particles	54	

4.1.3 Presentation of the particle size distribution_____55

		4.1.4	Measuring of liquid content	55	
	4.2	Modelin	ng Technique	59	
		4.2.1	Granulation Drum Modeling of Drum Granulator	59	
		4.2.2	Modeling of Screen		
		4.2.3	Crusher Modeling		
	5		ATION OF COMPONENT MODELS		
	5.1	Validati	on of drum granulator model	61	
		5.1.1	Comparison of the present simulation results with		
			Adetayo's experimental data	62	
		5.1.2	Sensitivity analysis of the present drum granulator		
			model	64	
	5.2	Validati	on of screen model	65	
		5.2.1	Comparison of the present simulation results with		
			published plant data	65	
		5.2.2	Sensitivity analysis of the present screen model	65	
	5.3	Validati	on of crusher model	66	
		5.3.1	Comparison of the present simulation results with		
			published plant data	66	
		5.3.2	Sensitivity analysis of the present crusher model	67	
	6	SIMUL	ATION OF A FERTILIZER GRANULATION PRECESS	84	
	6.1	Introdu	ction	84	
	6.2	Estimat	tion of the Coalescence Constant for Grade 16-16-8	85	
	6.3	Simulation of a Fertilizer Granulation Process to See			
		the Effects of Solution Phase Ratio			
		6.3.1	The Scaling-up Criterion	86	
		6.3.2	Simulation Result	90	
	7	CONCI	LUSION AND RECOMMENDATIONS	97	
REF	EREN	CES		99	
APP	ENDIX	ζ Ι		103	

LIST OF TABLES

IABI		PAGE
1.1	Projections of Fertilizer demand based on 1964 - 65 to 1974 - 75 and	I
	on the joint working group estimates for 1979 -80.	3
1.2	Estimate show the magnitude of increase in the use of all fertilizer in	
	period 1975 - 2000	4
1.3	Thailand fertilizer consumption for the year 1984 - 1993	5
2.1	A summary of two stages mechanism	33
5.1	Coalescence rate constant for AS, MAP and DAP	63

LIST OF FIGURES

FIGL	JRE	PAGE
1.1	World Fertilizer Use: Projection 1980 - 2000	4
1.2	Schematic diagram of a fertilizer granulation plant	9
2.1	Kinetics of tumble/growth agglomeration involve various phenomena	16
2.2	Schematic of two colliding granule each covered by a various layer of	
	thickness h	26
2.3	Effect of granulation time on the mass frequency distribution for DAP	
	fertilizer	32
2.4	Variation of the median granule diameter, D_{50} with the solution	
	phase ratio for A/S, DAP, MAP	32
3.1	Schematic diagram of crusher model	42
4.1	Presentation of the particle size distribution. From the top to bottom,	
	Cumulative mass distribution; Histogram and Mass density function	
	respectively	56
5.1	Comparison of the predicted cumulative mass fraction with experimen	ntal
	data for type I initial size distribution of DAP with 4% moisture content	
	granulated for 25 minutes	69
5.2	Simulation result VS experimental data (Adetayo, 1993) for AS at 4%	
	moisture content	70
5.3	Simulation result VS experimental data (Adetayo, 1993) for AS at 6%	
	moisture content	71
5.4	Simulation result VS experimental data (Adetayo, 1993) for AS at 8%	
	moisture content	72
5.5	Simulation result VS experimental data (Adetayo, 1993) for MAP at 4%	6
	moisture content	73

5.6	Simulation result VS experimental data (Adetayo, 1993) for MAP at 6%	
	moisture content	74
5.7	Simulation result VS experimental data (Adetayo, 1993) for MAP at 8%	
	moisture content_	75
5.8	Simulation result VS experimental data (Adetayo, 1993) for DAP at 2%	
	moisture content	76
5.9	Simulation result VS experimental data (Adetayo, 1993) for DAP at 4%	
	moisture content_	77
5.10	Simulation result VS experimental data (Adetayo, 1993) for MAP at 6%	
	moisture content	78
5.11	Sensitivity analysis of granulation drum model	79
5.12	Comparison of the predicted and observed cumulative mass fraction	
	for the screen	80
5.13	Sensitivity analysis of screen model	81
5.14	Comparison of the simulated and plant crushed granule data	
	by Lister (1989)	.82
5.15	Sensitivity analysis of crusher model	.83
6.1	Simulation result and NFC plant data for fertilizer grade 16-16-8	92
6.2	Simulation result shown the variation average granule diameter with liq	uid
	phase content	93
6.3	Effect of solution phase ratio on the oversize mass flowrate to fertilizer	
	grade 16-16-8	94
6.4	Effect of solution phase ratio on the undersize mass flowrate to fertilize	r
	grade 16-16-8	95
6.5	Effect of solution phase ratio on the recycle ratio of fertilizer grade	
	16-16-8	.96