

บรรณานุกรม

(References)

- เกษม จันทร์แก้ว 2517. ลักษณะอากาศใกล้ผิวดินของป่าดิบแล้งสถานีวิจัยสิ่งแวดล้อม  
สะแกราช อำเภอบักธงชัย จังหวัดนครราชสีมา เอกสารวิชาการ  
สถานีวิจัยสิ่งแวดล้อมสะแกราช เล่มที่ 1 สำนักงานคณะกรรมการวิจัยแห่งชาติ
- Abrahamsen, G. 1972. Ecological Study of Enchytraeidae  
(Oligochaeta) in Norwegian Coniferous Forest  
Soils. Pedobiologia, Band 12(1):26 - 32.
- Atlaninyte, O., and Vanagus, J. 1973. Mobility of Nutritive  
Substances in Relation to Earthworm Numbers  
in the Soil. Pedobiologia, Band 13(5):344 - 352.
- Attawill, P.M. 1968. The Loss of Elements From Decomposing  
Litter. Ecology, Vol.49(1):142 - 147.
- Bengtson, S.A., Nilsson, A., Nordstrom, S., and Rundgren, S.  
1975. Habitat Selection of Lumbricids in Iceland.  
Oikos, Vol.26(3):253 - 263.
- Bemham Jr., S.J. 1975. A Funnel Apparatus for the Extraction  
of Microarthropods from Agricultural Soil.  
Annals of the Entomological Society of America,
- Chernova, N.M. 1971. Relationship of Number, Biomass and  
Gaseous Exchange Rate Indices in Microarthropods  
in Substrate with Various Organic Matter Content.  
Pedobiologia, Band 11(4):306 - 313.

- Darlington, A., and Smyth, J.C. 1966. Key to Small Organisms in Soil Litter; and Water Troughs. London:Longmans, Green and Co. Ltd.
- Edney, E.B. 1957. The Water Relations of Terrestrial Arthropods. London:Cambridge University Press.
- Fisher, J.R., Keaster, J.J., and Fairchild, M.L. 1975. Seasonal Vertical Movement of Wireworm Larvae in Missouri:Influence of Soil Temperature on the Genera *Melanotus* (Escholtz) and *Conoderus* (Escholtz). Annals of the Entomological Society of America, Vol.68(6):1071 - 1073.
- Gasdorf, E.C., and Goodnight, C.J. 1963. Studies on the Ecology of Soil Arachnids. Ecology, Vol.44: 261 - 268.
- Haarlov, N. 1962. A Quantitative Comparison of Hand-Sorting and Extraction with a Tullgren Funnel. Progress in Soil Zoology, Butterworth:156 - 157.
- Kikuzawa, K., Saichuae, P., Nijima, K., Tanaka, M., and Aoki, J. 1967. On the Sampling and Extracting Technique for Soil Microarthropods. Japanese Journal of Ecology, Vol.17(1):20 - 28.
- Laselbikan, B.A. 1976. Preliminary Communication on Microarthropods from a Tropical Rain Forest in Nigeria. Pedobiologia, Band 14(6):402 - 411.

- Likens, G.E., Bormann, F.H., Johnson, N.M., and Pierce, R.S.  
1968. The Calcium, Magnesium, Potassium and  
Sodium:Budgets for a Small Forested Ecosystem.  
Ecology, Vol.48:772 - 785.
- Ljungström, Per-Olof., De Orellana, J.A., and Priano, L.J.J.,  
1973. Influence of Some Edaphic Factor. on  
Earthworm Distribution in Santa Fe Province.  
Pedobiologia, Band. 13(3):236 - 247.
- Lohavanijaya, P., et al. 1968. Inventory of Fauna at ASRCT  
Sakaerat Experiment Station, Amphoe Pak Thong  
Chai, Changwat Nakhon Ratchasima. Research  
Project No. 27/1, Report No.6. Bangkok. ASRCT.
- Mc E Kevan, D.K. 1968. Soil Animals. London:H.F. & G.  
Witherby Ltd.
- Metz, L.J. 1971. Vertical Movement of Acarina Under  
Moisture Gradients. Pedobiologia, Band 11(3):  
262 - 268.
- Millar, C.E., Turk, L.M., and Foth, H.D. 1965. Fundamentals  
of Soil Science. 4<sup>th</sup> ed. New York:John Wiley &  
Son, Inc.
- Murphy, P.W. 1962. Extraction Methods for Soil Animal:II  
Mechanical Methods. Progress in Soil Zoology.  
Butterworth:115 - 155.

- Nef, Ludovic. 1962. The Distribution of Acarina in the Soil. Progress in Soil Zoology. Butterworth: 56 - 58.
- Nŭjima, K. 1975. Seasonal Changes in Collembolan Populations in a Warm Temperate Forest of Japan. II Population Dynamic of the Dominant Species with 8 Figures. Pedobiologia, Band 15(1):40 - 52.
- Nordstrom, S. 1975. Seasonal Activity of Lumbricids in Southern Sweden. Oikos, Vol.26(3):307 - 315.
- Ogino, K., Saichuae, P., and Imadate, G. 1965. Seasonal Changes of Soil Microarthropod Populations in Central Thailand. Nature and Life in Southeast Asia, Vol.IV:303 - 315.
- Perel, T.S., Karpancevsky, L.O., and Yegorova, E.V. 1971. The Role of Tipulidae (Diptera) Larvae in Decomposition of Forest Litter-Fall. Pedobiologia, Band 11(1):66 - 70.
- Platt, B.R., and Griffiths, J.F. 1972. Environmental Measurement and Interpretation. New York: Robert E. Krieger Publishing Company.
- Price, D.W. 1975. Vertical Distribution of Small Arthropods in a California Pine Forest Soil. Annals of the Entomological Society of America, Vol.68: 174 - 180.

- Reise, K., and Weidemann, G. 1975. Dispersion of  
Predatory Forest Floor Arthropod. Pedobiologia,  
Band 15(2):106 - 128.
- Rickard, W.H. 1967. Seasonal Soil Moisture Pattern in  
Adjacent Greasewood and Sagebrush Stands.  
Ecology, Vol.48(6):1034 - 1038.
- Rundgren, S. 1975. Vertical Distribution of Lumbricids in  
Southern Sweden. Oikos, Vol.26(3):299 - 306.
- Sabhasri, S., 1968. Structure and Floristic Composition of  
Forest Vegetation at Sakaerat, Pak Thong Chai,  
Nakhon Ratcharima:I Variation of Floristic  
Composition Along a Transects Through Dry-  
Evergreen and Dry Dipterocarp Forest. Research  
Project No.27/1, Report No.2 Bangkok:ASRCT.
- Sabhasri, S., Chunkeo, K., and Ngampongsai, C. 1968.  
Preliminary Study of Evaporation and Transpiration  
in Dry-Evergreen Forest at Sakaerat Exporiment  
Station (Amphoe Pak Thong Chai, Changwat Nakhon  
Ratchasima). Research Project No.27/5 Report  
No.1. Bangkok:ASRCT.
- Shorey, H.H., Burrage, R.H., and Gyrisco, G.G. 1960. The  
Relationship Between Several Environmental  
Factors and the Density of European Chafer  
Larvae in Permanent Pasture Soil. Ecology,  
Vol.41:253 - 258.

- Smitinand, Tem., 1968. Inventory of Vegetations in One Hectar (100 M x 100 M Plot) Centered on Forest Tower, ASRCT Sakaerat Experiment Station (Amphoe Pak Thong Chai, Changwat Nakhon Ratchasima). Research Project No.27/1. Report No.3. Bangkok: ASRCT.
- Stark, R.W., and Dahlsten, D.L. 1966. The Effect of Soil Temperature on the Distribution of Neodiprion Sawfly Coeoon. Ecology, Vol.47:488 - 489.
- Sundhagul, M., and Klinsukont, C. 1971. Studies on Cellulose Decomposition in the Soil at Sakaerat Experiment Station. Research Project No.27/1 Report No.14 Bangkok:ASRCT.
- Thuanduan, V. 1968. Detailed Soil Survey of the North-Eastern Portion of ASRCT Sakaerat Experiment Station (Amphoe Pak Thongchai, Changwat Nakhon Ratchasima) Research Project No.27/1. Report No.1. Bangkok:ASRCT.
- Usher, M.B. 1971. Seasonal and Vertical Distribution of a Population of Soil Arthropods:Mesostigmata. Pedobiologia, Band 11(1):27 - 39.
- Usher, M.B. 1975. Seasonal and Verticals Distribution of a Population of Soil Arthropods:Cryptostigmata. Pedobiologia, Band 15(5):364 - 374.

- Wallwork, J.A. 1970. Ecology of Soil Animals. London: Mc Graw-Hill.
- Watanabe, H., Saichuae, P., and Shidei, T. 1966. On the Biomass of Soil Animals Found in Various Types of Forest in Thailand. The Centre for Southeast Asian Studies of Kyoto University. Vol.4(1): 133 - 139.
- Watanabe, H. 1969. A Study of the Vertical Distribution of Soil Macro-animals in a Cryptomeria Plantation, a Natural Mixed Forest of Cryptomeria, Beech and Deciduous Oak, and a Grassland of Different Soil Types. Japanese Journal of Ecology, Vol.19(2):56 - 62.
- Watanabe, H. 1973. Effect of Strand Change on Soil Macro-animals. Journal of the Japanese Forestry Society, Vol.55 (10):291 - 195.
- Watanabe, H. 1975. On the Amount of Cast Production by the Megoscolecid Earthworm (Pheretima hupeiensis). Pedobiologia, Band 15(1):20 - 25.
- Weber, N.A. 1959. Isothermal Conditions in Tropical Soil. Ecology, Vol.40:153 - 154.
- Witkamp, M. 1966. Decomposition of Leaf Litters in Relation to Environment, Microflora and Microbial Respiration. Ecology, Vol.47:194 - 201.

Young, F.A. 1967. A Possible Recycling Mechanism in  
Tropical Forest. Ecology, Vol.48:506.

Zicri, A. 1962. Determination of Number and Size of  
Sampling Unit for Estimating Lumbricid Popu-  
lation of Arable Soil. Ecology Vol.43:68 - 71.

---



## ประวัติการศึกษา

นายจิรากรณ คชเสนี จบปริญญาวิทยาศาสตรบัณฑิต จากแผนกวิชาชีววิทยา คณะวิทยาศาสตร์ จุฬาลงกรณ์มหาวิทยาลัย เมื่อปี พ.ศ. 2516 เข้าศึกษาชั้นปริญญา วิทยาศาสตรมหาบัณฑิต โดยทุนโครงการพัฒนามหาวิทยาลัย สภาการศึกษาแห่งชาติ ระหว่างปี พ.ศ. 2517 - 2518