

## BIBLIOGRAPHY

- Amenta, F., Cavalotti, C., Mione, M.C. and Erdo, S.L. Segmental distribution and gestational change of GABA-transaminase activity in the rat oviduct. J. Reprod. Fert., 78(1986):593-599.
- Andersen, R., Dingledine, R., Gjerstad, L., Langmoen, I.A. and Laursen, A.M. Two different responses of hippocampal pyramidal cells to application of gamma-aminobutyric acid. J. Physiol., 305(1980): 279.
- Anderson, R.A. and Mitchell, R. Effects of Gamma-aminobutyric acid receptor agonists on the secretion of growth hormone, luteinizing hormone, adrenocorticotropic hormone and thyroid-stimulating hormone from the rat pituitary gland *in vitro*. J. Endocr. 108(1986):1-8.
- Andrews, P.R. and Johnston, G.A.R. GABA agonists and antagonists. Biochemical Pharmacology. 28(1979): 2697-2702.
- Arakawa, T. and Okada, Y. Excitatory and inhibitory action of GABA on synaptic transmission in slices of guinea pig superior colliculus. European J. Pharmacol. 158(1988): 217-224.
- Ballanyi, K. and Gafe,P. An intracellular analysis of GABA-associated ion movements in rat sympathetic neurons. J. physiol. (London). 365(1985):41-58.

Bennett, W.A., Watts, T.L., Blair, W.D., Waldhalm, S.J. and Fuquay, J.W. Patterns of oviductal motility in the cow during the oestrous cycle. J. Reprod. Fert., 83(1988): 537-543.

Borda, E., Sauvage, J., Sterin-Borda, L., Gimeno, M.F. and Gimeno, A.L. Adrenoceptors involved in the contractile activity of isolated pregnant uterus. European J. Pharmacol., 56(1979): 61-67.

Bowery, N.G. and Brown, D.A. Depolarizing actions of gamma-aminobutyric acid and related compounds on rat superior cervical ganglia *in vitro*. Br. J. Pharmacol., 50(2)(1974): 205-218.

Bowery, N.G., Doble, A., Hill, D.R., Hudson, A.L., Shaw, F.S., Turnbull, M.J. and Warrington, R. Bicuculline-insensitive GABA receptors on peripheral autonomic nerve terminals. European J. Pharmacol., 71(1)(1981): 53-70.

Bowery, N.G., Hill, D.R., Hudson, A.L. Characteristics of GABA-B receptor binding sites on rat whole brain synaptic membranes, Br. J. Phamacol., 78(1983);191.

Bulat, R., Kannan M.S. and Garfield, R.E. Studies of the innervation of rabbit myometrium and cervix. Can. J. Physiol. Pharmacol., 67(1989):837-844.

Bulbring, E. and Tomita, T. Catecholamine action on smooth muscle,  
Pharmacological Reviews, 39(1)(1987):49-96.

Chow, E.H.M. and Marshall J.M. Effects of catecholamines on circular and  
longitudinal uterine muscle of the rat. European J. Pharmacol.,  
76(1981):157-165.

Coutinho, E.M., Maia, H. and Mattos, C.E.R, Contractility of the Fallopian tube.  
Gynecol. Invest., 6(1975):146-161.

Croxatto, H.B. and Ortiz, M.E.S. Egg transport in the Fallopian tube.  
Gynecol. Invest., 6(1975):215-225.

De Mattos, C.E.R. and Coutinho E.M., Effects of the ovarian hormones on tubal  
motility of the rabbit, Endocrinol., 89(1971):912-917.

Del Rio, R.M. Gamma-Aminobutyric Acid system in rat oviduct. J. Biol. Chem.,  
256(19)(1981):9816-9819.

Diamond, J. and Marshall J.M. A comparision of the effects of various smooth  
muscle relaxants on the electrical and mechanical activity of rat  
uterus. J. Pharmacol. Exp. Ther., 168(1969):21-30.

Drummond, R. and Phillips, A.T. L-Glutamic acid decarboxylase in non-  
neuronal tissues of the mouse. J. Neurochem., 23(1974):1207-1213.

Erdo, S.L. High-affinity, sodium-dependent gamma-aminobutyric acid uptake by slices of rat ovary. J. Neurochem., 40(1983 a.);582-584.

\_\_\_\_\_. Characterization of GABA-ergic system in the Fallopian tube. Int. J. Fertil., 28(1983 b.):8-9.

\_\_\_\_\_. Identification of GABA receptor binding sites in rat and rabbit uterus. Biochem. Biophysic. Res. Comm., 125((1)(1984):18-24.

\_\_\_\_\_. Peripheral GABAergic mechanisms. TINS., May 1985:205-208.

\_\_\_\_\_. 1986 a. GABA recetor binding sites in peripheral tissues of mammals, in Erdo, S.L. and Bowery, N.G (eds.), GABAergic mechanism in the Mammalian Periphery. p.77. Raven press, New York.

\_\_\_\_\_. 1986 b. GABAergic mechanism and their possible role in the oviduct andthe uterus, in :Erdo, S.L. and Bowery, N.G.(eds.) GABAergic Mechanisms in the Mammalian Periphery, p.205. Raven press, New York

Erdo, S.L. and Amenta. F. Characterization and localifzation of high-affinity GABA uptake in slices of the rabbit oviduct. European J. Pharmacol., 130(1986):287-294.

Erdo, S.L. and Amenta F. Specific vascular localization of GABA-Transaminase in the guinea pig lung. Neuroscience Letters, 68(1986):202-206.

Erdo, S.L. and Laszlo.A. High specific gamma-aminobutyric Acid Binding To Membrane of the Human Ovary. J. Neurochem., 42(5)(1984):1464-1467.

Erdo, S.L., Laszlo, A., Kiss, B. and Solnai, B. Presence of Gamma-Aminobutyric Acid and Its Specific Receptor Binding Sites in The Human Term Placenta. Gynecol. Obstet. Invest., 20(1985):199-203.

Erdo, S.L., Kiss B., Riesz M. and Szporny, L. Stimulus-evoked efflux of GABA from preloaded sliced of the rabbit oviduct. European J. Pharmacol., 130(1986):295-303.

Erdo, S.L., Rosdy B. and Szporny, L. Higher GABA concentrations in Fallopian tube than in brain of the rat. J. Neurochem., 38(4)(1982):1174-1176.

Erdo, S.L., Kiss, B. and Szporny, L. Comparative characterization of glutamate decarboxylase in crude homogenates of oviduct, ovary, and hypothalamus. J. Neurochem., 43(1984):1532-1537.

Erdo, S.L. and Lapis, E. Presence of GABA receptors in rat oviduct. Neuroscience Letters, 33(1982 a.):275-279.

Erdo, S.L. and Lapis, E. Bicuculline-sensitive GABA receptors in rat ovary. Eur. J. Pharmacol., 78(1982 b.):357-361.

Erdo, S.L., Laszlo A., Szporny L. and Zsolnai S. High density of specific GABA binding sites in the human Fallopian tube. Neuroscience Letters, 42(1983):155-160.

Erdo, S.L. and Maksay, G. (<sup>35</sup>S)-TBPS binding to membranes of the female sex organs: modulation of chloride ionophore by GABA and pentobarbital. European J. Pharmacol., 147(1988):279-282.

Erdo, S.L., Ries, M., Karpati, E. and Szporny, L. GABA-B receptor-mediated stimulation of the contractility of isolated rabbit oviduct. European J. Pharmacol., 99(1984):333-336.

Erdo, S.L., Villanyi, P. and Laszlo, A., Gestational changes of GABA levels and GABA binding in the human uterus. Life Sciences, 44(1989):2009-2014.

Erdo, S.L., Mione, M.C., Amenta, F. and Wolff, J.R. Binding of <sup>3</sup>H-muscimol to GABA-A sites in the guinea-pig urinary bladder. Br.J.Pharmacol., 96(1989c) : 313-318.

Erdo, S.L. and Wolff, J.R. Gamma-aminobutyric acid outside the mammalian brain. J. Neurochem. 54(2) (1990):363-372.

Fernandez, I., Del Rio, R.M. and Orensanz, L.M., Surgical ablation of oviductal extrinsic innervation changes GABA levels in the rat Fallopian tube. Life Sciences, 36(1985):1733-1737.

Fernandez, I., Orensanz ,L.M. and de Ceballos, M.L., GABA modulation of cholinergic transmission in rat oviduct. Life Sciences, 35(1984):357-364.

Gottlieb, D.I. GABAergic Neurons. Scientific American, 258(2)(1988):38-45.

Greenwald, G.S. 1968. Hormonal regulation of egg transport through the mammalian oviduct. Beheman S.J. and Kistner R.W. (eds.). Progress in Infertility, pp 157-179. Little, Brown and Company, Boston.

Halbert, S.A., Tam, P. Y. and Blandau, R.J. Egg transport in the rabbit oviduct: The role of cilia and muscle. Science (Washington), 191(1976):1052-1053.

Harper, M.J.K. The mechanisms involved in the movement of newly ovulated eggs through the ampulla of the rabbit Fallopian tube. J. Reprod. Fertil., 2(1961):522-524.

Hashimoto, S., Tanaka, C. and Taniyama, K. Presynaptic muscarine and alpha-adrenoceptor-mediated regulation of GABA release from myenteric neurones of the guinea-pig small intestine. Br. J. Pharmacol., 89(1986):787-792.

Hoffman, B.B., Lavin, T.N., Lefkowitz, R.J. and Ruffolo Jr., R.R. Alpha-adrenergic receptor subtypes in rabbit uterus : mediation of myometrial contraction and regulation by estrogens. J. Pharmacol. Exp. Ther., 219(2)(1981):290-295.

Jessen, K.R., Mirsky, R., Dennison, M.E. and Burnstock, G. GABA may be a neurotransmitter in the vertebrate peripheral nervous system. Nature, 281(6)(1979):71-74.

Jessen, K.R., and Mirsky, R. GABA as enteric neurotrasmiter : High affinity uptake and  $\text{Ca}^{2+}$  dependent release of  $^3\text{H}$ -GABA from gut neurons.  
Acta Physiol. Scand. Suppl. 508(1982):58.

Jessen, K.R., Mirsky, R. and Mills, J .M. GABA as an autonomic neurotransmitter : studies on intrinsic GABAergic neurons in the myenteric plexus of the gut. TINS, 10(6)(1987):255-262.

Kitayama,S., Morita,K., Dohi, T. and Tsujimoto, A. GABA-A receptor-mediated increase of cytosolic  $\text{Ca}^{2+}$  in isolated bovine adrenal chromaffin cells.  
Biochimica et Biophysica Acta., 1053(1990):189-194.

Krantis, A., Costa, M., Furness, J.B. and Orbach, J. Gamma-Aminobutyric Acid stimulates intrinsic inhibitory and excitatory nerves in the guinea-pig intestine. European J. Pharmacol., 67(1980): 461-468.

Kroeger, E.A. and Marshall, J.M. Beta-adrenergic effects on rat myometrium: mechanisms of membrane hyperpolarization. Am. J. Physiol., 225(6)(1973): 1339-1344.

Kroeger, E.A. and Marshall, J.M. Beta-adrenergic effects on myometrium: role of cyclic AMP. Am. J. Physiol., 226(6)(1974): 1298-1303.

Kroeger, E.A., Marshall, J.M. and Bianchi, C.P. Effect of isoproterenol and D-600 on calcium movements in rat myometrium. J. Pharmacol. Exp. Ther., 193(2)1975):309-315.

Kusunoki, M., Taniyama, K. and Tanaka, C. Neuronal GABA release and GABA inhibition of ACh release in guinea-pig urinary bladder. Am. J. Physiol., 246(1984):R 502.

Magaribuchi, T. and Osa, T., Effects of catecholamines on electrical and mechanical activities of the pregnant mouse myometrium. Jap. J. Physiol., 21(1971):627-643.

Maltier, J.P. and Legrand, C. Characterization of alpha-adrenoceptors in myometrium of preparturient rats. European J. Pharmacol., 117(1985):1-13.

Marshall, J.M. Effects of ovarian steroids and pregnancy on adrenergic nerves of uterus and oviduct. Am. J. Physiol., 240(1981):C 165-C 174.

Miledi, R. Spontaneous synaptic potentials and quantal release of transmitter in the stellate ganglion of the squid. J. Physiol. (London), 192(1967):379-406.

Molnar, S., Johns, A., Paton, D.M., Daniel, E.E. and Beck, R.P. Characteristics of responses of isolated human Fallopian tube to transmural stimulation and to sympathomimetic amines. Arch. int. Pharmacodyn., 220(1976):205-210.

Morris, M.E., Di Constanzo, G.A., Fox, S. and Werman, R. Depolarizing action of GABA (gamma-aminobutyric acid) on myelinated fibers of peripheral nerves. Brain Res., 278(1-2)(1983):117-126.

Morris, M.E. and Liske,S. Ionic mechanisms of action of GABA on dorsal and ventral root myelinated fibers : Effects of K<sup>+</sup> channel blockers.  
Can.J. physiol. Pharmacol. 67(1989):1308-1314.

Nakanishi, H. and Wood, C. Effects of adrenergic blocking agents on human Fallopian tube motility *in vitro*. J. Reprod. Fert., 16(1967):21-28.

Nozaki, M. and Ito, Y. Changes in physiological properties of rabbit oviduct by ovarian steroids. Am. J. Physiol., 252(1987):R 1059-R 1065.

Okada, Y., Taniguchi, H., Shimida, C. High concentration of GABA and high glutamate decarboxylase activity in rat pancreatic islets and human insulinoma. Science , 194(1976):620-622.

Ong, J. and Kerr, D.I.B. GABA-A and GABA-B -receptor-mediated modification of intestinal motility. European J. Pharmacol., 86(1983):9-17.

Ong, J. and Kerr, D.I.B. Evidence for a physiological role of GABA in the control of guinea-pig intestinal motility. Neuroscience Letters., 50(1984):339-343.

Paton, D.M., Widdicombe, J.H., Rheaume, D.E. and Johns,A. The role of the adrenergic innervation of the oviduct in the regulation of mammalian ovum transport. Pharmacological Reviews, 29(2)(1978):67-102.

Phillippe, M. and Bangalore, S. Adrenergic stimulation of Inositol-Phosphate production in a genital tract smooth muscle cell line. Biol. Reprod., 40(1989):49-53.

Riesz, M. and Erdo, S.L. GABA-B receptors in the rabbit uterus may mediate contractile responses. European J. Pharmacol., 119(1985):119-204.

Rosenblum, I. and Stein, A.A. Autonomic responses of the circular muscles of the isolated human Fallopian tube. Am. J. Physiol., 210(5)(1966):1127-1129.

Ruckebusch, Y. and Pichot, D. Effects of adrenergic drugs on sheep oviduct motility. European J. Pharmacol., 33(1975):193-196.

Saito, N., Taniyama, K. and Tanaka,C.  $^3\text{H}$ -ACh release from guinea-pig gallbladder evoked by GABA through the bicuculline-sensitive GABA receptor. Nuany-Schmied Arch. Pharmacol., 326(1)(1984):45-48.

Sandberg, F., Ingelman-Sundberg, A., Lindgren, L. and Ryden, G. *In vitro* studies of the motility of the human Fallopian tube, Part I : The effects of Acetylcholine, Adrenaline, Noradrenaline, and Oxytocin on the spontaneous motility. Acta Obstet. Gynec. Scandinav., 39(1960):506-516.

Sangiah, S., Borowitz, J.C., and Yim, G.K.W. Actions of GABA, picrotoxin and bicuculline on adrenal medulla. European J. Pharmacol., 27(1974):130.

Schaeffer, J.M. and Hsueh, A.J.W. Identification of gamma-aminobutyric acid and its binding sites in the rat ovary. Life Sciences, 30(1982):1599-1604.

Scheid, C.R., Honeyman, T.W. and Fay, F.S. Mechanism of beta-adrenergic relaxation of smooth muscle. Nature, 277(1979):32-36.

Shirakawa, J. Taniyama, K., Iwai, S. and Tanaka, C. Regulation of  $^3\text{H}$ -GABA release from strips of guinea pig urinary bladder. Am. J. Physiol., 24(1988):R 888-R 893.

Spilman, C.H. and Harper, M.J.K. Comparison of the effects of adrenergic drugs and prostaglandins on rabbit oviduct motility. Biology of Reproduction, 10(1974):549-554.

Starke, K. and Weitzell, R. Gamma-aminobutyric acid and postganglionic sympathetic transmission in the pulmonary artery of the rabbit. J. Auton. Pharmacol., 1(1980):45-51.

Suzuki, Y., Okada, T., Shibuya, M., Kageyama, N., Asano, M. and Hikida, H. Gamma-aminobutyric acid-induced contraction of the dog basilar artery. Pharmacology, 29(1)(1984):24-30.

Tamaoki, J., Graf, P.D. and Nadel, J.A. Effect of gamma-Aminobutyric Acid on Neurally Mediated Contraction of Guinea Pig Trachealis Smooth Muscle. J. Pharmacol. Exp. Ther., 243(1)(1987):86-89.

Taniyama, K., Miki, Y., and Tanaka, C. Presence of gamma-aminobutyric acid and glutamic acid decarboxylase in Auerbach's plexus of the cat colon. Neuroscience Letters., 29(1982 a):53.

Taniyama, K., Kusunoki, M., Saito, N., and Tanaka, C. Release of Gamma-aminobutyric acid from cat colon. Science., 217(1982 b):1038.

Taniyama, K., Kusunoki, M., Saito, N. and Tanaka, C. GABA-evoked ACh release from isolated guinea pig ileum. Life Sciences, 32(1983):2349-2353.

Taniyama, K., Kusunoki, M. and Tanaka, C. Gamma-Aminobutyric acid inhibits motility of the isolated guinea-pig urinary bladder. European J. Pharmacol., 89(1983):163-166.

Taraskevich, P.S. and Douglas, W.W. GABA directly affects electrophysiological properties of pituitary pars intermedia cells. Nature. 299(1982):733-734

Tonini, M., De Petris, G., Onori, L., Monzo, L., Rizzi, C.A. and Crema, A. The role of GABA-A receptor function in peristaltic activity of the guinea pig ileum : a comparative study with bicuculline, SR 95531 and picrotoxinin. Br. J. Pharmacol., 97(1989):556-562.

Triner, L., Vulliemoz, Y., Verosky, M. and Nahas, G.G. Acetylcholine and the cyclic AMP system in smooth muscle. Biochem. Biophysical Res. Com., 46(5)(1972):1866-1872.

Van Ness, P.C. and Olsen, R.W. Gamma-aminobutyric acid receptor binding in human brain regions. J. Neurochem., 33(1979):593-596.

Virmani, M.A., Stojilkovic, S.S. and Catt, K.J. Stimulation of Luteinizing hormone release by GABA agonists:Mediation by GABA-A type Receptors and Activation of Chloride and Voltage-sensitive Calcium channels. Endocrinology. 126(1990):2499-2505.

Wolff,J.R., Joo, F. and Dames, W. Plasticity in dendrites shown by continuous GABA administration in superior cervical ganglion of adult rat. Nature. 274(1978):72-74.

Wolff,J.R.,Joo,F., Dames, W. and Feher, O. Induction and maintainance of free postsynaptic membrane thickenings in the adult superior cervical ganglion. J. Neurocytol. 8(1979):549-536.

Wu, J.Y. 1982. Problems in GABA research from Brain to Bacteria. In Okada,Y.and Roberts, E. (eds) pp 40-54, Excerpta Medica, Amsterdam, Oxford Princeton.

## BIOGRAPHY

Mister Surisak Prasarnpun was born on June 30, 1960 in Ubonrachathani. He got the Bachelor of Science in Biology (B.Sc. Biology) from Faculty of Science, Khon Kaen University in 1983.

