



เอกสารอ้างอิง

- Bender, H., "Cyclodextrin Glycosyltransferase von Klebsiella pneumoniae I. Reinigung und Eigenschaften des Enzymes von Klebsiella pneumoniae M5a1," Arch. Microbiol., 111 (1977) : 271-282.
- Bender, H., "Enzymology of the Cyclodextrin," Proceedings of the First International Symposium on Cyclodextrins, (Szejtli, J., ed.), pp.77-87, D.Reidel Publishing Company, Budapest, 1981.
- Bender, H., "Studies on the Reaction Mechanism of Cyclodextrin Glycosyltransferase:Subsites Analysis," Proceedings of the Forth Symposium on Cyclodextrins, West Germany (April 20-22, 1988) : 19-26.
- Bergsma, J., Bruinenberg, P.M., Hokse, H. and Meiberg, J.B.M., "Cyclodextrins from Potato Starch, Recent Developments," Proceedings of the Fourth 4th International Symposium on Cyclodextrins, West Germany (April 20-22, 1988) : 41-46.
- Binder, F., Huber, O., and Bock, A., "Expression of the Gene for the Cyclodextrin Glycosyltransferase from Klebsilla in E. coli," Gene, 47 (1986) : 269.

- Cramer, F., "Cyclodextrin - A Paradigmatic Model, "Proceedings on the First International on Cyclodextrins, Hungary (September 30 - October 2, 1981) : 3-14.
- Davis, B.J., "Disc Electrophoresis II," Ann.N.Y. Acad. Sci., 121 (1964) : 404-427.
- Depinto, J.A., and Campbell, L.L., "Purification and Properties of the Amylase of Bacillus macerans," Biochemistry, 7 (1968) : 114-120.
- Englbrecht, A., Harrer, G., Lebert, M. and Schmid, G., "Biochemical and Genetic Characterization of a CGTase from an Alkalophilic Bacterium Forming Primary γ -cyclodextrin," Minutes 5th International Symposium on Cyclodextrins, France (March 28-30, 1990) : 25-31.
- Ernest, K.C., Aoki, H. and Misawa, M., "Specific Alpha - Cyclodextrin Production by a Novel Thermostable Cyclodextrin Glycosyltransferase," Appl. Microbiol. Biotechnol., 28 (1988) : 377-379.
- French, D., Pulley, O.A., Effenberger, J.A., Rongvie, A.M., and Abdullah, M. "Study on the Schardinger Dextrins 12. The Molecular Size and Structure of the α -, β -, and γ -Dextrins," Arch. Biochem. Biophys., 111 (1965) : 153-160.
- French, D., and Rundle, R.E., "The Molecular Weights of the Schardinger Alpha and Beta Dextrins," J. Am. Chem. Soc. 564 (1942) : 1651.
- Freundenberg, K., and Cramer, F., "Die Konstitution der Schardinger Dextrin Alpha , Beta , und Gamma," Z.Naturforsch., B3 (1948) : 464.

- Fromming, K.H., "Cyclodextrin in Phamaceutical industry. "Proceedings of the First International Symposium on Cyclodextrins, Hungary (Sept. 30 - Oct. 2, 1981) : 367-376.
- Fuwa, H., "A New Method for Micro determination of Amylase Activity by the Use of Amylase as the Substrate," J. Biochem., 41 (1954) : 583-603.
- Hashimoto, H., "Application of Cyclodextrins to Foods , Toiletries and other Products in Japan," Proceedings of the Fourth International Symposium on Cyclodextrins, West Germany, (April 20-22, 1988) : 533-544.
- ✧ Hokse, H., "Analysis of Cyclodextrin by High Performance Liquid Chromatography," J. Chromatogr. 189 (1980) : 98-100.
- Horikoshi, K., Nakamura, N., Matsuyawa, N. and Yamamoto, "Industrial Production of Cyclodextrins," Proceedings of the First International Symposium on Cyclodextrins , Hungary (Sept.30 - Oct.2, 1981) : 25-39.
- Kato, T., and Horikoshi, K., "Immobilized Cyclodextrin Glycosyltransferase of an Alkalophilic Bacillus sp. No 38-2," Biotechnology and Bioengineering , 26 (1983) : 595-598.
- Kaneko, T., Hamamoto, T. and Horikoshi, K., "Molecular Cloning and Nucleotide Sequence of the Cyclomaltodextrins Gluconotransferase Gene from the Alkalophilic Bacillus sp. strian No.38.2 , "General Microbiology, 134 (1988) : 95-105.

- Kato, T., and Horikoshi, K., "Gamma - cyclodextrin. A new Gamma - Cyclodextrin forming Enzyme Produced by Bacillus subtilis No. 313," J. Jpn. Soc. Starch Sci, 2 (1986) : 137.
- Kitahata, S., and Okada, S., "Action of Cyclodextrin Glycosyltransferase Bacillus megaterium Strain No. 5 on Starch, "Agric. Biol. Chem., 12 (1974) : 2413.
- Kitahata, S., and Okada, S. "Purification and some Properties of Cyclodextrin Gluconotransferase from Bacillus stearothermophilus TC-60," J.Jap.Soc.starch Sci., 29 (1982) : 7-12.
- Kitahata, S., Tsuyama, N. and Okada, S. "Purification and some Properties of Cyclodextrin Gluconotransferase from Bacillus species," Agric. Biol. Chem., 38 (1974) : 387-393.
- Kobayashi, S., Kainuma and Suzuki, S., "Purification and some Properties of Bacillus macerans Cycloamylase (Cyclodextrin) Gluconotransferase," Carbohydrate Research , 61 (1978) : 229-238.
- Komiyama, M., and Bender, M. in "Cyclodextrin as Enzyme Models," The Chemistry of Enzyme Action., pp. 505-527, Elsier Science Publisher B.V., 1984.
- Lane, A.G., and Pirt, S.J., "Production of Cyclodextrin Glycosyltransferase by Batch and Chemostat Culture of Bacillus macerans in Chemical Defined Medium," J. Appl. Chem. Biotechnol., 23 (1973) : 309-321
- Lawson, C.L., Bergsma, J., Bruinenberg, P.M., Vries, G., Dijkhnigen, L. and Dijkstra, B.W., "Maltodextrin-Dependent Crystallization of Maltocyclodextrin Gluconotransferase from Bacillus circulans," J.Mol.Biol., 214 (1990) : 807-809.

- Lloyd, N.E., and Nelson, W.J., "Glucose-Fructose Containing Sweeteners in Starch. R.L. Whistler, J.N. Be Miller, and E.F. Paschall, Eds. Academic Press, New York, 1984.
- Makela, M.J., Mattsson, P., Shinina, M.E. and Korpela, T.K., "Purification and Properties of Cyclodextrin Glycosyltransferase from Alkalophilic Bacillus," Biotechnology and Applied Biochemistry, 10 (1988) : 414-427.
- Makela, M. J., Paavilainen, S. K., and Korpela, T. K., "Growth Dynamics of Cyclomaltodextrin Glucanotransferase Producing Bacillus circulans var. alkalophilus," Can. J. Microbiol., 36 (1990) : 176 - 182.
- Nakamura, N. and Horikoshi, K., "Purification and Properties of Cyclodextrin Glycosyltransferase of an Alkalophilic Bacillus sp," Agri. Biol. Chem., 40 (1976) : 935-941.
- Nomato, M., Cheng, C.C. and Sheu, D.C., "Purification and Characterization of Cyclodextrin Glycosyltransferase from an Alkalophilic Bacterium of Taiwan." Agri. Biol. Chem., 50 (1986) : 2701-2707.
- Okada, S., and Kitahata, S., "A Study of Cyclodextrin-Forming Enzymes," Proceedings of Amylase Symposium (Osaka), 18 (1973) : 21-27.
- Okada, S., and Kitahata, S., "Method of Purifying of Cyclodextrin-Producing Enzymes," US patent 3,888,738, 10 June, 1975.
- Pulley, P.O., and French, D., "Study on Sharding Dextrin," Biochem. Biophysic. Res. Com., 5 (1961) : 11-15.

- Pongsawasdi, P. and Yakisawa, M., "Screening and Identification of Cyclodextrin Glycosyltransferase-Producing Bacteria," J. Ferment. Technol., 65(4) (1987) : 463-467.
- Saenger, W., "Cyclodextrin Inclusion Compound in Research and Industry," Angew.Chem., Int.Ed.Engl., 19 (1980) : 344-362.
- Schardinger, F., "Bacillus macerans, ein Aceton bildender Rottebacillus Zentralbl Bakteriol Parasitenkd Infektionskrankh," Hvg. Abt. 2 14 (1904) : 772.
- Schmid, G., Huber, O.S., and Eberle. "Selective Complexing Agent for the Production of γ -Cyclodextrin," Proceedings of the Forth International Symposium on Cyclodextrins, (1988) 87-92.
- Shiosaka, M., and Fumiya, H., "Cyclodextrin-Forming Enzyme of B.sterothermophilus," Proceedings of Amylase Symposium, (Osaka) 18 (1973) : 43-50.
- Starnes, R.L., "Industrial Potential of Cyclodextrin Glycosyltransferase," American Association of Cereal Chemists., 35 (1990) : 1094-1099.
- Starnes, R.L., Flint, V.M., and Katkocin, D.M., "Cyclodextrin Production with a Highly Thermostable from Thermoanaerobacter sp." Minutes 5th International Symposium on Cyclodextrins, (1990) : 55-61.
- Swinkels, J. J. M., "Sources of Starch, Its Chemistry and Physics," Starch Conversion Technology, Academic Press, New York, 1985.
- Szejtli, J., "Cyclodextrins in Food, Cosmetics and Toiletries," Proceedings of the First International Symposium on Cyclodextrins, (1981) : 469-480.

- Szejtli, J., "Downstream Processing Using Cyclodextrins," TIBTECH, 7 (1989) : 170-174.
- Szilasi, M., Oha, K., Zsardon, B., Szejtli, J. and Tuo's, F., "Separation of Cyclodextrins with Gel Chromatography and HPLC," Proceedings of the First International Symposium on Cyclodextrins, (1981) : 61-68.
- Takano, T., et.al., "Molecular Cloning, DNA Nucleotide Sequencing, and Expressing in Bacillus subtilis cells of the Bacillus macerans Cyclodextrin Glycosyltransferase gene," Journal of Bacteriology, 166 (1986) : 1118-1122.
- Takeo, K., Kondo, Y., and Kuge, T., "Thin-Layer Chromatography of Cyclodextrins," Agri. Biol. Chem., 34 (1970) : 954-956.
- Vicmon, M., "Rapid and simple Spectrophotometric Method for Determination of Micro-Amounts of Cyclodextrins," Proceedings of the First international Symposium on Cyclodextrins, Hungary (Sept. 30 - Oct. 2 1981) : 69-74.
- Villette, J., Bouquelet, S., Lelen, J.B., and Sieard, P.J., "Isolation and Mechanism of action of the Cyclodextrin Glycosyltransferase from Bacillus circulans," Minutes 5th International Symposium on Cyclodextrins, France (28-30 March, 1990) : 32-38.
- Wolfrom, M.L., Patin, D.L., and Lederkremer, R.M., "Thin-Layer Chromatography on Microcrystalline Cellulose," J.Chromatograph, 17 (1965) : 488-494.
- Yagi, Y., Kuono, K., and Inui, T.A., "Process Producing Cyclodextrins," US Patent No. 4,317,881.

Yu, E.K.C., Aoki, H., and Misawa, M., "Specific Alpha-Cyclodextrin Production by a Novel Thermostable Cyclodextrin Glycosyltransferase," Appl. Microbiol. Biotechnol. 28 (1988) : 377.

~~Z~~zsadon, B., Otta, K.H., Tudos, F., and Szejtli, J., "Separation of Cyclodextrin by High Performance Liquid Chromatography," J. Chromatogr. 172 (1979) : 490-492.

การคำนวณ

ภาคผนวกที่ 1 สายพันธุ์ Bacillus spp. จาก TISTR 57 สายพันธุ์

ลำดับที่	genus-sp.	TISTR No
1	<u>Bacillus cereus</u>	TISTR 35
2	<u>Bacillus cereus</u>	TISTR 36
3	<u>Bacillus cereus</u>	TISTR 37
4	<u>Bacillus cereus</u>	TISTR 121
5	<u>Bacillus coagulans</u>	TISTR 352
6	<u>Bacillus laterosporus</u>	TISTR 2
7	<u>Bacillus laterosporus</u>	TISTR 124
8	<u>Bacillus licheniformis</u>	TISTR 4
9	<u>Bacillus licheniformis</u>	TISTR 5
10	<u>Bacillus licheniformis</u>	TISTR 13
11	<u>Bacillus licheniformis</u>	TISTR 14
12	<u>Bacillus licheniformis</u>	TISTR 15
13	<u>Bacillus licheniformis</u>	TISTR 16
14	<u>Bacillus licheniformis</u>	TISTR 17
15	<u>Bacillus licheniformis</u>	TISTR 18
16	<u>Bacillus licheniformis</u>	TISTR 19
17	<u>Bacillus licheniformis</u>	TISTR 20
18	<u>Bacillus licheniformis</u>	TISTR 22
19	<u>Bacillus megaterium</u>	TISTR 3
20	<u>Bacillus megaterium</u>	TISTR 67


ภาคผนวกที่ 1 (ต่อ)

ลำดับที่	genus-sp.	TISTR No
21	<u>Bacillus pumilus</u>	TISTR 61
22	<u>Bacillus sp.</u>	TISTR 28
23	<u>Bacillus sp.</u>	TISTR 122
24	<u>Bacillus sp.</u>	TISTR 123
25	<u>Bacillus sp.</u>	TISTR 528
26	<u>Bacillus stearothermophilus</u>	TISTR 329
27	<u>Bacillus subtilis</u>	TISTR 25
28	<u>Bacillus thuringiensis</u>	TISTR 126
29	<u>Bacillus thuringiensis</u>	TISTR 127
30	<u>Bacillus thuringiensis</u>	TISTR 128
31	<u>Bacillus thuringiensis</u>	TISTR 479
32	<u>Bacillus thuringiensis</u>	TISTR 480
33	<u>Bacillus thuringiensis</u>	TISTR 481
34	<u>Bacillus thuringiensis</u>	TISTR 482
35	<u>Bacillus thuringiensis</u>	TISTR 483
36	<u>Bacillus thuringiensis</u>	TISTR 484
37	<u>Bacillus thuringiensis</u>	TISTR 485
38	<u>Bacillus thuringiensis</u>	TISTR 486
39	<u>Bacillus thuringiensis</u>	TISTR 487
40	<u>Bacillus thuringiensis</u>	TISTR 488


ภาคผนวกที่ 1 (ต่อ)

ลำดับที่	genus-sp.	TISTR No
41	<u>Bacillus thuringiensis</u>	TISTR 489
42	<u>Bacillus thuringiensis</u>	TISTR 490
43	<u>Bacillus thuringiensis</u>	TISTR 491
44	<u>Bacillus thuringiensis</u>	TISTR 492
45	<u>Bacillus thuringiensis</u>	TISTR 493
46	<u>Bacillus thuringiensis</u>	TISTR 494
47	<u>Bacillus thuringiensis</u>	TISTR 495
48	<u>Bacillus thuringiensis</u>	TISTR 496
49	<u>Bacillus thuringiensis</u>	TISTR 497
50	<u>Bacillus thuringiensis</u>	TISTR 498
51	<u>Bacillus thuringiensis</u>	TISTR 499
52	<u>Bacillus thuringiensis</u>	TISTR 500
53	<u>Bacillus thuringiensis</u>	TISTR 501
54	<u>Bacillus thuringiensis</u>	TISTR 502
55	<u>Bacillus thuringiensis</u>	TISTR 503
56	<u>Bacillus thuringiensis</u>	TISTR 504
57	<u>Bacillus thuringiensis</u>	TISTR 505


ภาคผนวกที่ 2. กราฟมาตรฐานสำหรับการหาปริมาณโปรตีนโดยวิธี standard method ของ Bradford ใช้ความเข้มข้นของโปรตีนมาตรฐานอัลบูมินของซีรัมวัว (BSA) ปริมาณ 0 - 100 ไมโครกรัม วัดการดูดกลืนแสงที่ความยาวคลื่น 595 นาโนเมตร (วิธีทดลองข้อ 3.5.1)



ภาคผนวกที่ 3 กราฟมาตรฐานสำหรับการหาปริมาณโปรตีนโดยวิธี micromethod ของ Bradford ใช้ความเข้มข้นของโปรตีนมาตรฐานอัลบูมินของซีรัมวัว (BSA) ปริมาณ 0 - 10 ไมโครกรัม วัดการดูดกลืนแสงที่ความยาวคลื่น 595 นาโนเมตร (วิธีทดลองข้อ 3.5.2)



ภาคผนวกที่ 4 กราฟมาตรฐานสำหรับการหาปริมาณ β -CD โดยวิธี HPLC



ประวัติผู้เขียน

นางสาววัลยา เดชชัยกุล เกิดวันที่ 9 มีนาคม พ.ศ. 2502 สำเร็จการศึกษา
ปริญญาวิทยาศาสตรบัณฑิต (พยาบาล) จากคณะแพทยศาสตร์ ร.พ. รามาธิบดี มหาวิทยาลัย
มหิดล เมื่อปี พ.ศ. 2526

