

REFERENCES

- [1] Sanguansap, K., Thonggoom, R., and Tangboriboonrat, P. Surface modification of natural rubber film by polymerization of methyl methacrylate in water-based system. Eur. Polym. J. 42(10) (2006): 2334-2342.
- [2] Sruanganurak, A., and Tangboriboonrat, P. Surface modification of sulphur prevulcanized natural rubber latex sheet via layer-by-layer assembled PMMA particles. Colloids and Surfaces A: Physicochem. Eng. Aspects. 301 (2007): 141-152.
- [3] Satraphan, P., Intasiri, A., Tangpasuthadol, V., and Kiatkamjornwong, S. Effect of methyl methacrylate grafting and *in situ* silica particle formation on the morphology and mechanical properties of natural rubber composites films. Polym. Adv. Technol. (2008): doi:10.1002/pat.1297.
- [4] Rattanasom, N., Saowapark, T., and Deeprasertkul, C. Reinforcement of natural rubber with silica/carbon black hybrid filler. Polym. Test. 26 (2007): 369-377.
- [5] Choi, S.-S., and Choi, S.-J. Influence of silane coupling agent content on crosslink type and density of silica-filled natural rubber vulcanizates. Bull. Korean Chem. Soc. 27 (2006): 1473-1476.
- [6] Tangpasuthadol, V., Intasiri, A., Nuntivanich, D., Niyompanich, N., and Kiatkamjornwong, S. Silica-reinforced natural rubber prepared by the sol-gel process of ethoxysilanes in rubber latex. J. Appl. Polym. Sci. 109 (1) (2008): 424-433.
- [7] Shokoohi, S., Arefazar, A., and Khosrokhavar, R. Silane coupling agents in polymer-based reinforced composites: A review. J. Reinforced Plastics Composites. 27 (2008): 473-484.
- [8] Vitry, S., Mezzino, A., Gauthie, C., Cavallé, J.-Y., Lefebvre, F., and Bourgeat-Lami, E. Hybrid copolymer latexes cross-linked with methacryloxypropyl trimethoxysilane. Film formation and mechanical properties. C. R. Chimie. (2003): 1285-1293.

- [9] Rodgers, B. Rubber compounding: Chemistry and applications. New York: Marcel Dekker, 2004.
- [10] Gazeley, K.F., Gorton, A.D.T., and Pendle, T.D. Natural rubber science and technology. Latex concentrates: Properties and composition. New York: Oxford University Press. 1988.
- [11] Halasa, A.F., Massie, J.M., and Ceresa, R.J. Science and technology of rubber. 3rd ed. The chemical modification of polymers. San Diego: Academic Press, 2005.
- [12] Oliveira, P.C., Oliveira, A.M., Garcia, A., Souza Barboza, J.C., Carvalho Zavaglia, C.A., and Santos, A.M. Modification of natural rubber: A study by ¹H NMR to assess the degree of grafting of polyDMAEMA or polyMMA onto rubber particles under latex form in the presence of a redox couple initiator. Eur. Polym. J. 41 (2005): 1883–1892.
- [13] Charmondusit, K., Kiatkamjornwong, S., and Prasassarakich, P. Grafting of methyl methacrylate and styrene onto natural rubber. J. Sci. Chula. Univ. 23 (1998): 167-181.
- [14] George, V., Britto, I.J., and Sebastian, M.S. Studies on radiation grafting of methyl methacrylate onto natural rubber for improving modulus of latex film. Radiation Phys. and Chem. 66 (2003): 367–372.
- [15] George, B., Maiti, S.N., and Varma, I.K. Graft copolymerization of methyl methacrylate on to natural rubber: Effect of polymerization conditions on particle morphology. J. Elastomer Plast. 38 (2006): 319-331.
- [16] Chumsamrong, P., and Monprasit, O. Preparation, adhesive performance and stability of natural rubber latex grafted with N-butyl acrylate (BA) and methyl methacrylate (MMA). Suranaree J. Sci. Technol. 14(2007): 269-276.
- [17] Amornchaiyapitak, C., Taweepreda, W., and Tangboriboonrat, P. Modification of epoxidised natural rubber film surface by polymerization of methyl methacrylate. Eur. Polym. J. 44 (2008): 1782–1788.
- [18] Kochthongrasamee, T., Prasassarakitch, P., and Kiatkamjornwong, S. Effects of redox initiator on graft copolymerization of methyl methacrylate onto natural rubber. J. Appl. Polym. Sci. 101 (2006): 2587-2342.

- [19] Ciullo, P.A., and Hewitt, N. The Rubber Formulary. New York: Noyes Publications, 1999.
- [20] Alan, N. Gent. Engineering with rubber: How to design rubber components. Munich : Hanser, 1992.
- [21] Morozov, I.A., Svistkov, A.L., Heinrich, G., and Lauke, B. Structure of the carbon-black-particles framework in filled elastomer materials. Polym. Sci. Series A 49 (2007): 292-299.
- [22] Allcock, H.R., Lampe, F.W., and Mark, J.E. Contemporary polymer chemistry. The testing of polymers. New Jersey: Pearson Education, 2003.
- [23] Mark, J. E., Erman, B., and Eirich, F. R. Science and Technology of Rubber. 3rd ed. London: Elsevier Academic Press, 2005.
- [24] Brinker, C.J., and Scherer, G.W. Sol-Gel Science. San Diego: Academic Press, 1990.
- [25] KICKELBICK, G. Hybrid materials. Synthesis, characterization, and applications. Weinheim: Wiley-VCH Verlag GmbH & Co. KGaA, 2007.
- [26] Kohjiya, S., and Ikeda, Y. Reinforcement of natural rubber by silica generated *in situ*. Proc. Japan Acad. 76 (2000): 29-34.
- [27] Yoshikai, K., Ohsaki, T., and Furukawa, M. Silica reinforcement of synthetic diene rubber by sol-gel process in the latex. J. Appl. Polym. Sci. 85 (2002): 2053-2063.
- [28] Kohjiya, S., and Ikeda, Y. In situ formation of particulate silica in natural rubber matrix by the sol-gel reaction. J. Sol-Gel Sci. Technol. 26 (2003): 495-498.
- [29] Ikeda, Y., and Kameda, Y. Preparation of "green" composites by the sol-gel process: *in situ* silica filled natural rubber. J. Sol-Gel Sci. Technol. 31 (2004): 137-142.
- [30] Nah, C., Kim, D.H., Kim, W. D., Im, W.-B., and Kaang, S. Friction and abrasion properties of *in-situ* silica-filled natural rubber nanocomposites using sol-gel process. J. Elastomers Plast. 5 (2004): 224-226.
- [31] Poompradub, S., Chaichua, B., Kanchanaamporn, C., Boosalee, T., and Prasassarakich, P. Synthesis of silica in natural rubber solution via sol-gel reaction. J. Elastomers Plast. (2008): 152-155.

- [32] Siramanont, J., Tangpasuthadol, V., Intasiri, A., Na-Ranong, N., and Kiatkamjornwong, S. Sol-gel process of alkyltriethoxysilane in latex for alkylated silica formation in Natural Rubber. *Polym. Eng. Sci.* (2009): doi: 10.1002/pen.21363.
- [33] Daniels, M.W., and Francis, L.F. Silane adsorption behavior, microstructure, and properties of glycidoxypropyltrimethoxysilane-modified colloidal silica coatings. *J. Colloid Interface Sci.* 205 (1998): 191–200.
- [34] Sae-oui, P., Sirisinha, C., Thepsuwan, U., and Hatthapanit, K. Roles of silane coupling agents on properties of silica-filled polychloroprene. *Eur. Polym. J.* 42 (2006): 479–486.
- [35] Tissot, I., Novat, C., Lefebvre, F., and Bourgeat-Lami, E. Hybrid latex particles coated with silica. *Macromolecules* 34 (2001): 5737-5739.
- [36] Kaynak, C., Celikbilek, C., and Akovali, G. Use of silane coupling agents to improve epoxy–rubber interface. *Eur. Polym. J.* 39 (2003): 1125–1132.
- [37] Ni, K.F., Shan, G.R., Weng, Z.X., Sheibat-Othman, N., Fevotte, G., Lefebvre, F., and Bourgeat-Lami, E. Synthesis of hybrid core-shell nanoparticles by emulsion (co)polymerization of styrene and γ -methacryloxypropyl trimethoxysilane. *Macromolecules* 38 (2005): 7321-7329.
- [38] Xu, P., Wang, H., Tong, R., Du, Q., and Zhong, W. Preparation and morphology of SiO₂/PMMA nanohybrids by microemulsion polymerization. *Colloid Polym. Sci.* (2005): 1-8.
- [39] Almaral-Sanchez, J.L., Lopez-Gomez, M., Ramirez-Bon, R., and Munoz-Saldana, J. Mechanical behaviour of hybrid SiO₂-PMMA coatings measured by nanoindentation. *J. Materials online.* 2 (2006): 1-10.
- [40] Bonilla, G., Martínez, M., Mendoza, A. M., and Widmaier, J.-M. Ternary interpenetrating networks of polyurethane-poly(methyl methacrylate)-silica: Preparation by the sol–gel process and characterization of films. *Eur. Polym. J.* 42 (2006): 2977–2986.
- [41] Lu, X., and Xin, Z. Synthesis of poly(styrene-co-3-trimethoxysilyl propyl methacrylate) microspheres coated with polysiloxane layer. *Colloid Polym Sci.* 285 (2007): 599–604.

- [42] Kim, J. W., Kim, L.U., and Kim, C.K. Size control of silica nanoparticles and their surface treatment for fabrication of dental nanocomposites. Biomacromolecules. 8 (2007): 215-222.
- [43] Brostow, W., Datashvili, T., and Hackenberg, K.P. Synthesis and characterization of poly(methyl acrylate) -SiO₂ hybrids. e-Polymers. 54 (2008): 1-13.
- [44] Asaletha, R., Groenincky, G., Kumaran, M., and Thomas, S. Melt rheology and morphology of physically compatibilized natural rubber-g-polystyrene. J. Appl. Polym. Sci. 69 (1998): 2675.
- [45] Oommen, Z., and Thomas, S. Mechanical properties and failure mode of thermo plastic elastomers from natural rubber/poly(methyl methacrylate)/ natural rubber-g-poly(methyl methacrylate) blends. J. Appl. Polym. Sci. 65 (1997): 1245-1255.
- [46] Luo, Y., Xu, H., and Zhu, B. The influence of monomer types on the colloidal stability in the miniemulsion copolymerization involving alkoxy silane monomer. Polymer 47 (2006): 4959-4966.
- [47] Charungchitree, K. In situ silica reinforcement of radiation prevulcanized natural rubber films. Master's Thesis, Petrochemistry and Polymer Science, Faculty of Science, Chulalongkorn University. 2007.
- [48] Marini, M., Pourabbas, B., Pilati, F., and Fabbri, P. Functionally modified core-shell silica nanoparticles by one-pot synthesis. Colloids Surf., A 317 (2008): 473-481.
- [49] Espiard, P., Mark, J. E., and Guyot, A. A novel technique for preparing organophilic silica by water-in-oil microemulsions. Polym. Bull. 24 (1990): 173-179.
- [50] Han, Y. H., Taylor, A., Mantle, M. D., and Knowles, K. M. Sol-gel-derived organic-inorganic hybrid material. J. Non-Cryst Solids. 353 (2007): 313-320.
- [51] Kroschwitz, J. I. Concise Encyclopedia of Polymer Science and Engineering (1990): 1013-1017
- [52] Xiong, M., Zhou, S., Wu, L., Wang, B., and Yang, L. Sol-gel derived organic-inorganic hybrid from trialkoxysilane-capped acrylic resin and titania: Effects of preparation conditions on the structure and properties. Polymer 45 (2004): 8127-8138.

- [53] Qiu, F.-X., Zhou, Y.-M., and Liu, J.-Z. The synthesis and characteristic study of 6FDA-6FHP-NLO polyimide/SiO₂ nanohybrid materials. Eur. Polym. J. 40 (2004): 713-720.

VITAE

Miss Sarannut Wattanasamai was born in Nakornsithammarat, Thailand, on September 25th, 1982. She received her Bachelor's Degree of Science, Prince of Songkla University in 2005. She has pursued Master Degree in Petrochemistry and Polymer Science Program, Faculty of Science, Chulalongkorn University since 2005 and finished her study in 2009.