References

[1] Anderson M. H., Enshe J. R., Matthews M. R., Wieman C. E. and
    Cornell E. A., **Science** 198 (1995): 269.

[2] Davis K., Mewes M. O., Andrews M. R., van Druten N. J., Durfee D. S.,
    Kurn D. M. and Ketterle W., **Phys. Rev. Lett.** 75 (1995): 3969.

[3] Bradley C. C., Sackett C. A., Tollett J. J., and Hulet R. G.,
    Phys. Rev. Lett. 75 (1995): 1687.

[4] Huang K., *Statistical Mechanics*, John Wiley & Sons, New York, 1987.

[5] Fried D. G., Killian T. C., Willmann L., Landhuis D., Stephen C. M.,
    Kleppner D. and Greytak T. J., **Phys. Rev. Lett.** 81 (1998): 3811.

[6] Feynman R. P., *Statistical Mechanics: A Set of Lectures*, W. A.
    Benjamin, Reading, MA, 1972.

[7] Brosens F., Devreese J. T. and Lemmens L. F., **Phys. Rev. E** 55
    (1997): 227.

[8] Brosens F., Devreese J. T. and Lemmens L. F., **Phys. Rev. E** 55
    (1997): 6795.

[9] Mewes M.-O., Andrews M. R., van Druten N. J., **Phys. Rev. Lett.** 77
    (1996): 988.

[10] Jin D. S., Wieman, C. E., and Cornell, E. A., **Phys. Rev. Lett.** 77
    (1996): 420.

[11] Anderson B. P., Haljan P. C., Wieman C. E., andCornell E. A.,
    Phys. Rev. Lett. 85 (2000): 2857.

[12] Tempere J. and Devreese J. T., **Solid State Commun.** 113 (2000): 471.

[13] Dalfovo F., Giorgini S., Pitaevskii L. P. and Stringari S., **Rev. Mod. Phys.** 71 (1999): 463.

[14] Parkins A. S. and Walls D. F., **Phys. Rep.** 303 (1998): 1.

[15] Leggette A. J., **Rev. Mod. Phys. 73** (2001): 307.

[16] Dalfovo F. and Stringari S., **Phys. Rev. A** 53 (1996): 2477.

[17] Proukakis N. P. and Burnett K., **J. Res. Natl. Inst. Stand. Technol.** 101(1996): 457.

[18] Bijlsma M. and Stoof H. T. C., **Phys. Rev. A** 55 (1997): 498.

[19] Griffin A., **Phys. Rev. B** 53 (1996): 9341.

[20] Baym G. and Pethick C. J., **Phys. Rev. Lett.** 76 (1996): 6.

[21] Feynman R. P. and Hibbs A. R., *Quantum Mechanics and Path Integrals*, McGraw-Hill, New York, 1965.

[22] Feynman R. P., **Phys. Rev.** 97 (1955): 660.

[23] Kubo R., **Phys. Rev.** 108 (1957): 590.

[24] Edwards M., Ruprecht P. A. and Burnett K., **Phys. Rev. Lett.** 77 (1996): 1671.

[25] Stringari, S., **Phys. Rev. Lett.**, 77 (1996): 2360.

[26] Donley E. A., Claussen N. R., Cornish S. L., Roberts J. L., Cornell E. A., and Wieman C. E., **Nature** 412 (2001): 295.

[27] Madison, K. W., Chevy F., Wohlleben W. and Dalibard J., **J. Mod. Opt.** 47 (2000): 2715.

[28] Abo-Shaeer J. R., Raman C., Vogels J. M. and Ketterle W., **Science** 292 (2001): 476.

[29] Matthews M. R., Anderson B. P., Haljan P. C., Hall D. S., Wieman C. E. and Cornell E. A., **Phys. Rev. Lett.** 83 (1999): 2498.

[30] Tempere J. and Devreese J. T., **Solid State Commun.** 113 (2000): 471.

Vitae

Mr. Kobchai Tayanasanti was born on May 8^{th}, 1972 in Phuket. He received a Bachelor of Science degree and a Master of Science degree in physics from Chulalongkorn University in 1994 and 1997 respectively. During his Ph.D. study, he was supported financially by the RGJ-Ph.D. Program of the Thailand Research Fund.

List of Publications

1. Sa-yakanit V, Tayanasanti K., Consistent Definition of the Effective Mass of the Polaron, **Phys. Rev. B**57, 8739(1998).

2. Sa-yakanit V, Tayanasanti K., Path Integral Derivation of the Effective Mass of Vortex, *Proceeding of the 8^{th} Asia-Pacific Physics Conference (APPC2000)*, World Scientific Publishing, 2001.