

## References

- [1] Adler M., Lazarus, R. A., Dennis, M. S., and Wagner, G. (1991). Solution structure of kistrin, a potent platelet aggregation inhibitor and GPIIb-IIIa antagonist. Science 253: 445-448.
- [2] Andrews, R. K. a. B., M. C. (2000). Snake venom modulators of platelet adhesion receptors and their ligands. Toxicon 38: 775-791.
- [3] Calvete, J. J., Schafer, W., Soszka, T., Lu W., Cook, J. J., Jameson, B. A. and Niewiarowski, S. (1991). Identification of the disulphide bond pattern in albolabrin, an RGD-containing peptide from the venom of *Trimeresurus albolabris*: significance for the expression of platelet aggregation inhibitory activity." Biochemistry 30: 5225-5229.
- [4] Cereghino, J. L. a. C., J. M. (2000). Heterologous protein expression in the methylotrophic yeast *Pichia pastoris*. FEMS Microbiology 24: 45-66.
- [5] Chen RQ, J. Y., Wu JB, et al. (2003). A new protein structure of P-II class snake venom metalloproteinases: It comprises metalloproteinase and disintegrin domain. Biochim.Biophys 310: 182-187.
- [6] Choi, B. K. a. J.-F., R. (2001). Expression and purification of glycosylated bovine - casein (L70S/P71S) in *Pichia pastoris*. 49: 1761-1766.
- [7] Fox JW, S. S. (2005). Structural considerations of the snake venom metalloproteinases, key members of the M12 reprotoisin family of metalloproteinases. Toxicon Jun 15;45(8): 969-85.
- [8] Fox JW, S. S. (2008). Insights into and speculations about snake venom metalloproteinase (SVMP) synthesis, folding and disulfide bond formation and their contribution to venom complexity. FEBS. Jun:275(12): 3016-30.
- [9] Fujii, Y., Okuda, D., Fujimoto, Z., Horii, K., Morita, T., and Mizuno, H. (2003). Crystal structure of trimestatin, a disintegrin containing a cell adhesion recognition motif RGD. J Mol Biol 332: 1115-1122.
- [10] Fujimura, S., Oshikawa, K., Shigeyuki, T., and Kimoto, E. (2000). Primary structure and autoproteolysis of brevilysin H6 from the venom of *Gloydius halsy*

- brevicaudus*. J Biochem 128: 167-173.
- [11] Garcia LT, P. e. s. L., Ramos OH, Pet al (2004). The effect of post-translational modification on the hemorrhagic activity of snake venom metalloproteinases. CBP 38: 23-32.
- [12] Gould RJ, P. M., Friedman PA, Huang TF, Holt JC, Cook JJ, Niewiarowski S. (1990). Disintegrins: a family of integrin inhibitory proteins from viper venoms. Proc Soc Exp Biol Med Nov;195(2): 168-71.
- [13] Guo, R. T., Chou, L.J., Chen, Y.C., Chen, C.Y., Pari, K., et.al. (2001). Expression in *Pichia pastoris* and characterization by circular dichroism and NMR of rhodostonin. Proteins: Structure, Function and Genetic. Proteins 43: 499-508.
- [14] Han YP, L. X., Wang XF, Xu J. (2007). Isolation and characterization of a novel P-II class snake venom metalloproteinase from *Trimeresurus stejnegeri*. Toxicon Jun 1;49(7): 889-98.
- [15] Hong, S. Y., Koh, Y. S., Chung K. H., and Kim, D. S. (2002). Snake venom disintegrin, saxatilin, inhibits platelet aggregation, human umbilical vein endothelial cell proliferation, and smooth muscle cell migration." Thromb Res 105: 79-86.
- [16] Jia, L. G., Shimokawa, K. I., Bjarnason, J. B., and Fox, J. W. (1996). Snake venom metalloproteinases: structure, function and relationship to the ADAMs family of proteins. Toxicon 34(11/12): 1269-1276.
- [17] Jintakune, M. a. (1990). The species of green pit viper in Bangkok. Southeast Asian. Trop Med Pub Health 21: 225-255.
- [18] Kamiguti, A. S., Zuzel, M. and Theakston, R. D. G. (1998). Snake venom metalloproteinases and disintegrins: interactions with cells. Bra J Med Biol Res 31: 853-862.
- [19] Kang, I. C., Chung, K. H., Lee, S. J., Yun, Y., Moon, H. M., and Kim, D. S. (1998). Purification and molecular cloning of a platelet aggregation inhibitor from the snake (Agkistrodon Halys Brevicaudus) venom. Thromb Res 91: 65-73.

- [20] Kawasaki T, S. Y., Taniuchi Y, Sato K, Maruyama K, Shimizu M, Kaku S, Yano S, Inagaki O, Tomioka K, Yanagisawa I, Takenaka T. (1996). Biochemical characterization of a new disintegrin, flavostatin, isolated from *Trimeresurus flavoviridis* venom. Biochimie 78(4): 245-52.
- [21] Kini, R. M. (1995). Do we know the complete sequence of metalloproteinase and nonenzymatic platelet aggregation inhibitor (disintegrin) precursor proteins? Toxicon 33(9): 1151-1160.
- [22] Kishimoto M, T. T. (2002). Molecular cloning and sequence analysis of cDNA encoding flavoridin, a disintegrin from the venom of *Trimeresurus flavoviridis*. Toxicon Jul;40(7): 1033-40.
- [23] Maeno H, M. S., Sato R. (1960). Study on Habu snake venom.2C. Studies on H beta-proteinase of Habu venom. Jpn J Microbiol 4: 173-80.
- [24] Mahasandana, S. a. J. (1990). The species of green pit viper in Bangkok. Southeast Asian. J Trop Med Pub Health 21: 225-255.
- [25] Marcinkiewicz, C., Kumar, S. V., McLane, M. A., and Niewiarowski, S. (1997). Significance of RGD loop and C-terminal domain of echistatin for recognition of IIB 3 and v 3 integrins and expression of ligand-induced binding site. Blood 90(4): 1565-1575.
- [26] Markland, F. S. (1998). Snake venoms and the hemostatic system."Toxicon 36 (12): 1749-1800.
- [27] Marrakchi, N., Mabrouk, K., Regaya, I., Sarray, S., Fathallah, M., Rochat, H., and Ayeb, (2001). Lebetin peptides: potent platelet aggregation inhibitors. M.Haemostasis 31: 207-210.
- [28] Moura-da-Silva, A. M., Linica, A., Della-Casa, M. S., Kamiguti, A. S., Ho, P. L., Crampton, J. M., and Theakston, R. D. (1999). Jararhagin ECD-containing disintegrin domain: expression in Escherichia coli and inhibition of the platelet-collagen interaction. Arch Biochem Biophys 369(2): 295-301.
- [29] Okonogi T, H. S., Honma M,Mitsuhashi S et al (1960). Study on the Habu snake venom.3-2.Acomparative study of histopathological changes cause by crude venom,purified Habu proteinase and other proteinase. Jpn J Microbiol 4: 189-92.

- [30] Otterbein, L., Record, E., Longhi, S., Asther, M., and Moukha, S. (2000). Molecular cloning of the cDNA encoding laccase from *Pycnoporus cinnabarinus* I-937 and expression in *Pichia pastoris*. Eur J Biochem 267: 1619-1625.
- [31] Pinto, A., Angulo, Y., Jimenez, R., and Lomonte, B. (2003). Isolation of bothrasperin, a disintegrin with potent platelet aggregation inhibitory activity, from the venom of the snake *Bothrops asper*. Rev Biol Trop 51(1): 215-227.
- [32] Porges, N. (1953). Snake venoms, their biochemistry and mode of action. Science 117: 47-51.
- [33] Ramos OHP, S.-d.-A. H. (2006). Snake venom metalloproteinase-structure and function of catalytic and disintegrin domain. CBP 142: 328-346.
- [34] Rojnuckarin, P., Intragumtornchai, T., Sattapiboon, R., Muangpasitporn, C., Pakmanee, N., Khow, O., and Swasdikul, D (1999). "The effects of green pit viper (*Trimeresurus albolabris* and *Trimeresurus macrops*) venom on the Fibrinolytic system in human. Toxicon 37: 743-755.
- [35] Shao Hui Wang, X. C. S. G. Z. Y. (2003). cDNA cloning and characterization of Akistin. A new metalloproteinase form *Akistrodon halys*. Biochim.Biophys 310: 289-3
- [36] Singhamatr P, R. P. (2007). Expression of recombinant snake venom metalloproteinase disintegrin domain from green pit viper, *Timerisurus albolabris*, and characterization of its effects on human platelets. Toxicon 50: 1192-120
- [37] Singhamatr P, R. P. (2007). "Molecular cloning of albolatin, a novel snake venom metalloprotease from green pit viper (*Trimeresurus albolabris*), and expression of its disintegrin domain." Toxicon. Dec 15;50(8): 1192-200.
- [38] Takeya, H., Nishida, S., Nishio, N., Makinose, Y., Omori, S. T., Nikai H., Sugihara, S. (1993). Primary structure of platelet aggregation inhibitory (disintegrins) autoproteolytically released from snake venom hemorrhagic metalloproteinase and new fluorogenic peptide substrate for these enzyme. J Biochem 113: 473-483.
- [39] Teixeira Cde F, F. C., Zuliani JP, Zamuner SF (2005). Inflammatory effects of snake venom metalloproteinases. Mem Oswaldo Cruz 100: 181-184.

- [40] Wang, J. H., Wu, Y. W., Ren, F., Lu L., and Zhao, B. C. (2004). Cloning and characterization of adinbitor, a novel disintegrin from the snake venom of *Agkistrodon halys brevicaudus stejneger*. Acta Bioch et Biophys Sinica 36(6): 425-429.
- [41] Xu, B., Sellos, D., and Janson, J. C. (2002). Cloning and expression in *Pichia pastoris* of a blue mussel (*Mytilus edulis*) -mannanase gene. Eur J Biochem 269: 1753-1760.
- [42] Zhou, X. D., Jin, Y., Chen, R. Q., Lu, Q. M., Wu, J. B., Wang, W. Y., Xiong, Y. L. (2004). Purification, cloning and biological characterization of a novel disintegrin from *Trimeresurus jerdonii* venom. Toxicon 43: 69-75.

## BIOGRAPHY

**Personal Data**

Name	Miss Panchalee Jangprasert
Date of Birth	December 1, 1983
Address	31 Moo 2 Tumbon Banglane Aumper Bang Yai Nonthaburi. 10400

**Education**

1999-2001	Satri Wat Rakhang School
2002-2005	Faculty of Allied Health Science, Chulalongkorn University, Bangkok, Thailand

**Experience**

2005	Training in Medical Laboratory, Bangkok Christian Hostipal, Thailand
------	---

