

บรรณานุกรม

(References)

- เกย์ม จันทร์แก้ว 2517. ดักชลและอาการไก่ฟ้าดินของป่าคิมแหงสถานีวิจัยสัตว์สิงแวนดอน
สหราชอาณาจักร อร. เกอปักชงชัย จังหวัดนราธิวาส เอกสารวิชาการ
สถานีวิจัยสัตว์สิงแวนดอนสหราชอาณาจักร เล่มที่ 1 ส่านักงานคณะกรรมการวิจัยแห่งชาติ
Abrahamsen, G. 1972. Ecological Study of Enchytraeidae
(Oligochaeta) in Norwegian Coniferous Forest
Soils. Pedobiologia, Band 12(1):26 - 32.
- Atlaninyte, O., and Vanagus, J. 1973. Mobility of Nutritive
Substances in Relation to Earthworm Numbers
in the Soil. Pedobiologia, Band 13(5):344 - 352.
- Attawill, F.M. 1968. The Loss of Elements From Decomposing
Litter. Ecology, Vol.49(1):142 - 147.
- Bengtson, S.A., Nilsson, A., Nordstrom, S., and Rundgren, S.
1975. Habitat Selection of Lumbricids in Iceland.
Oikos, Vol.26(3):253 - 263.
- Bemham Jr., S.J. 1975. A Funnel Apparatus for the Extraction
of Microarthropods from Agricultural Soil.
Annals of the Entomological Society of America,
- Chernova, N.M. 1971. Relationship of Number, Biomass and
Gaseous Exchange Rate Indices in Microarthropods
in Substrate with Various Organic Matter Content.
Pedobiologia, Band 11(4):306 - 313.

- Darlington, A., and Smyth, J.C. 1966. Key to Small Organisms in Soil Litter; and Water Troughs. London:Longmans, Green and Co. Ltd.
- Edney, E.B. 1957. The Water Relations of Terrestrial Arthropods. London:Cambridge University Press.
- Fisher, J.R., Keaster, J.J., and Fairchild, M.L. 1975. Seasonal Vertical Movement of Wireworm Larvae in Missouri: Influence of Soil Temperature on the Genera *Melanotus* (Escholtz) and *Conoderus* (Escholtz). Annals of the Entomological Society of America, Vol.68(5):1071 - 1073.
- Gasdorf, F.C., and Goodnight, C.J. 1963. Studies on the Ecology of Soil Arachnids. Ecology, Vol.44: 261 - 268.
- Haarlov, N. 1962. A Quantitative Comparison of Hand-Sorting and Extraction with a Tullgren Funnel. Progress in Soil Zoology, Butterworth:156 - 157.
- Kikuzawa, K., Saichuae, P., Nujima, K., Tanaka, M., and Aoki, J. 1967. On the Sampling and Extracting Technique for Soil Microarthropods. Japanese Journal of Ecology, Vol.17(1):20 - 28.
- Laselbikan, B.A. 1976. Preliminary Communication on Microarthropods from a Tropical Rain Forest in Nigeria. Pedobiologia, Band 14(6):402 - 411.

- Likens, G.E., Bormann, F.H., Johnson, N.M., and Fierce, R.S. 1968. The Calcium, Magnesium, Potassium and Sodium: Budgets for a Small Forested Ecosystem. Ecology, Vol. 48:772 - 785.
- Ljungström, Per-Olof., De Orellana, J.A., and Priano, L.J.J., 1973. Influence of Some Edaphic Factor. on Earthworm Distribution in Santa Fe Province. Pedobiologia, Band. 13(3):236 - 247.
- Lohavanijaya, P., et al. 1968. Inventory of Fauna at ASRCT Sakaerat Experiment Station, Amphoe Pak Thong Chai, Changwat Nakhon Ratchasima. Research Project No. 27/1, Report No.6. Bangkok. ASRCT.
- Mc E Kevan, D.K. 1968. Soil Animals. London:H.F. & G. Witherby Ltd.
- Metz, L.J. 1971. Vertical Movement of Acarina Under Moisture Gradients. Pedobiologia, Band 11(3): 262 - 268.
- Millar, C.E., Turk, L.H., and Foth, H.D. 1965. Fundamentals of Soil Science. 4th ed. New York:John Wiley & Son, Inc.
- Murphy, F.W. 1962. Extraction Methods for Soil Animals:II Mechanical Methods. Progress in Soil Zoology. Butterworth:115 - 155.

Nef, Ludovic. 1962. The Distribution of Acarina in the Soil. Progress in Soil Zoology. Butterworth: 56 - 58.

Nūjima, K. 1975. Seasonal Changes in Collembolan Populations in a Warm Temperate Forest of Japan. II Population Dynamic of the Dominant Species with 8 Figures. Pedobiologia, Band 15(1):40 - 52.

Nordstrom, S. 1975. Seasonal Activity of Lumbricids in Southern Sweden. Oikos, Vol. 26(3):307 - 315.

Ogino, K., Saichuae, P., and Imaida, G. 1965. Seasonal Changes of Soil Microarthropod Populations in Central Thailand. Nature and Life in Southeast Asia, Vol. IV:303 - 315.

Perel, T.S., Karpachevsky, L.O., and Yegorova, E.V. 1971. The Role of Tipulidae (Diptera) Larvae in Decomposition of Forest Litter-Fall. Pedobiologia, Band 11(1):66 - 70.

Platt, B.R., and Griffiths, J.F. 1972. Environmental Measurement and Interpretation. New York: Robert E. Krieger Publishing Company.

Price, D.W. 1975. Vertical Distribution of Small Arthropods in a California Pine Forest Soil. Annals of the Entomological Society of America, Vol. 68: 174 - 180.

- Reise, K., and Weidemann, G. 1975. Dispersion of Predatory Forest Floor Arthropod. Pedobiologia, Band 15(2):106 - 128.
- Rickard, W.H. 1967. Seasonal Soil Moisture Pattern in Adjacent Creasewood and Sagebrush Stands. Ecology, Vol.48(6):1034 - 1038.
- Rundgren, S. 1975. Vertical Distribution of Lumbricids in Southern Sweden. Cikos, Vol.26(3):299 - 306.
- Sabhasri, S., 1968. Structure and Floristic Composition of Forest Vegetation at Sakaerat, Pak Thong Chai, Nakhon Ratcharima:I Variation of Floristic Composition Along a Transects Through Dry-Evergreen and Dry Dipterocarp Forest. Research Project No.27/1, Report No.2 Bangkok:ASRCT.
- Sabhasri, S., Chunkeo, K., and Ngampongsai, C. 1968. Preliminary Study of Evaporation and Transpiration in Dry-Evergreen Forest at Sakaerat Experiment Station (Amphoe Pak Thong Chai, Changwat Nakhon Ratchasima). Research Project No.27/5 Report No.1. Bangkok:ASRCT.
- Shorey, H.H., Burrage, R.H., and Gyrisco, G.G. 1960. The Relationship Between Several Environmental Factors and the Density of European Chafer Larvae in Permanent Pasture Soil. Ecology, Vol.41:253 - 258.

Smitinand, Tem., 1968.

Inventory of Vegetations

in One Hectar (100 M x 100 M Plot) Centered on
Forest Tower, ASRCT Sakaerat Experiment Station
(Amphoe Pak Thong Chai, Changwat Nakhon Ratchasima).
 Research Project No.27/1. Report No.3. Bangkok:
 ASRCT.

Stark, R.W., and Dahlsten, D.L. 1966. The Effect of Soil Temperature on the Distribution of Neodiprion Sawfly Coeooon. Ecology, Vol.47:488 - 489.

Sundhagul, M., and Klinsukont, C. 1971. Studies on Cellulose Decomposition in the Soil at Sakaerat Experiment Station. Research Project No.27/1 Report No.14 Bangkok:ASRCT.

Thuanduan, V. 1968. Detailed Soil Survey of the North-Eastern Portion of ASRCT Sakacrat Experiment Station (Amphoe Fak Thongchai, Changwat Nakhon Ratchasima); Research Project No.27/1. Report No.1. Bangkok:ASRCT.

Usher, M.B. 1971. Seasonal and Vertical Distribution of a Population of Soil Arthropods:Mesostigmata. Pedobiologia, Band 11(1):27 - 39.

Usher, M.B. 1975. Seasonal and Verticals Distribution of a Population of Soil Arthropods:Cryptostigmata. Pedobiologia, Band 15(5):364 - 374.

Wallwork, J.A. 1970. Ecology of Soil Animals. London:
Mc Graw-Hill.

Watanabe, H., Saichuae, P., and Shidei, T. 1966. On the
Biomass of Soil Animals Found in Various Types
of Forest in Thailand. The Centre for Southeast
Asian Studies of Kyoto University. Vol.4(1):
133 - 139.

Watanabe, H. 1969. A Study of the Vertical Distribution
of Soil Macro-animals in a Cryptomeria Plantation,
a Natural Mixed Forest of Cryptomeria, Beech
and Deciduous Oak, and a Grassland of Different
Soil Types. Japanese Journal of Ecology,
Vol.19(2):56 - 62.

Watanabe, H. 1973. Effect of Strand Change on Soil Macro-
animals. Journal of the Japanese Forestry
Society, Vol.55 (10):291 - 195.

Watanabe, H. 1975. On the Amount of Cast Production by
the Megoscolecid Earthworm (Pheretima hupeiensis).
Pedobiologia, Band 15(1):20 - 25.

Weber, N.A. 1959. Isothermal Conditions in Tropical Soil.
Ecology, Vol.40:153 - 154.

Witkamp, M. 1966. Decomposition of Leaf Litters in Relation
to Environment, Microflora and Microbial
Respiration. Ecology, Vol.47:194 - 201.

Young, F.A. 1967. A Possible Recycling Mechanism in
Tropical Forest. Ecology, Vol.48:506.

Zicri, A. 1962. Determination of Number and Size of
Sampling Unit for Estimating Lumbricid Popu-
lation of Arable Soil. Ecology Vol.43:68 - 71.

ประวัติการศึกษา

นายจิรากษ์ คงเสนี จบปริญญาวิทยาศาสตร์บัณฑิต จากแณกกวิชาชีววิทยา
 คณะวิทยาศาสตร์ จุฬาลงกรณ์มหาวิทยาลัย เมื่อปี พ.ศ. 2516 เข้าศึกษาซึ่งปริญญา
 วิทยาศาสตร์ครมมหาบัณฑิต โภบทุนโครงการพัฒนามหาวิทยาลัย สถาการศึกษาแห่งชาติ
 ระหว่างปี พ.ศ. 2517 – 2518