

## REFERENCES

- Benveniste, H., and Huttemeier, P.C. Microdialysis-Theory and application. Prog. Neurobiol. 35 (1990) : 195-215.
- Brodal, A., and Pompeiano, O. The vestibular nuclei in the cat. J. Anat. 91 (1957) : 438-454.
- Buck, R.H., and Krummen, K. High performance liquid chromatography with automated pre-column derivatization for amino acids. J. Chromatogr. 303 (1984) : 238-243.
- Buisseret-Delmas, C., Epelbaum, M., and Buisseret, P. The vestibular nuclei of the cat receive a primary afferent projection from receptors in extraocular muscles. Exp. Brain Res. 81 (1990) : 654-658.
- Cochran, S.L., Kasik, P., and Precht, W. Pharmacological aspects of excitatory synaptic transmission to second-order vestibular neurons in the frog. Synapse. 1 (1987) : 102-123.
- Collingridge, G.L., and Lester, R.A. Excitatory amino acid receptors in the vertebrate central nervous system. Pharmacol. Rev. 40 (1989) : 143-210.
- Cotman, C.W., and Iversen, L.L. Excitatory amino acids in the brain-focus on NMDA receptors. TINS. 10 (1987) : 263-302.



- Dememes, D., Raymond, J., and Sans, A. Selective retrograde labeling of neurons of the cat vestibular ganglion with [<sup>3</sup>H]D-aspartate. Brain Res. 304 (1984) : 188-191.
- Dieringer, N., and Kunzle, H., and Precht, W. Increased projection of ascending dorsal root fibers to vestibular nuclei after hemilabyrinthectomy in the frog. Exp. Brain Res. 55 (1984) : 574-578.
- \_\_\_\_\_, and Precht, W. Mechanisms of compensation for vestibular deficits in the frog. Exp. Brain Res. 36 (1979) : 311-328.
- Doi, K., Tsumoto., and Matsunaga, T. Actions of excitatory amino acid antagonists on synaptic inputs to the rat medial vestibular nucleus : an electrophysiological study in vitro. Exp. Brain Res. 82 (1990) : 254-262.
- Epema, A. H., Gerrits, N. M., and Voogd, J. Commissural and intrinsic connections of the vestibular nuclei in the rabbit : a retrograde labeling study. Exp. Brain Res. 71 (1988) : 129-146.
- Fetter, M., and Zee, D.S. Recovery from unilateral labyrinthectomy in Rhesus monkey. J. Neurophysiol. 59 (1988) : 370-393.
- Fonnum, F. Glutamate : A neurotransmitter in mammalian brain. J. Neurochem. 42 (1984) : 1-11.

- Fukushima, K., Takahashi, K., Kudo, J., and Kato, M. Interstitial-vestibular interaction in the control of head and posture. Exp. Brain Res. 57 (1985) : 264-270.
- Galiana, H.L., Flohr, H., and Jones, G.M. A reevaluation of intervestibular nuclear coupling : its role in vestibular compensation. J. Neurophysiol. 51 (1984) : 242-259.
- Gutheir, G.M., and Versher, J.L. Visual vestibular interaction : vestibulo-ocular reflex suppression with head-fixed target fixation. Exp. Brain Res. 81 (1990) : 150-160.
- Hamberger, A.C., Chiang, G.H., Nysten, E.S., Scheff, S.W., and Cotman, C.W. Glutamate as a CNS transmitter. I. Evaluation of glucose and glutamine as precursors for the synthesis of preferentially released glutamate. Brain Res. 168 (1979) : 513-530.
- Henley, C.H., and Igarashi, M. Amino acid assay of vestibular nuclei 10 months after unilateral labyrinthectomy in Squirrel monkey. Acta. Otolaryngol(Stockh). 481 (1991) : 407-410.
- Hill, D.W., Walters, F.H., Wilson, T.D., and Stuart, J.D. High performance liquid chromatographic determination of amino acids in the subpicomole range. Anal. Chem. 51 (1979) : 1338-1340.
- Ito, J., Matsuoka, I., Sasa, M., Fujimoto, S., and Takaori, S. Electrophysiologic evidence for involvement of acetyl-

choline as a neurotransmitter in the lateral vestibular nucleus. Otolaryngol. Head Neck Surg. 89 (1981) : 1025-1029.

Ito, M. Vestibular nuclei. In M. Ito (ed.), The cerebellum and neural control, pp. 149-163. New York : Raven Press, 1984.

\_\_\_\_\_., Hongo, T., and Okada, Y. Vestibular-evoked post-synaptic potentials in Deiters neurones. Exp. Brain Res. 7 (1969) : 214-230.

Jensen, D.W. Survival of function in the deafferented vestibular nerve. Brain Res. 273 (1983) : 175-178.

Johnson, M., Hagberg, H., Jacopson, I., Karlsson, B., Lehmann, A., and Hamberger, A. Analysis of amino acids : neurochemical application. Life Sci. 41 (1987) : 829-832.

Johnson, R.D., and Justice, J.B. Model studies for brain dialysis. Brain Res. Bull. 10 (1983) : 567-571.

Kirsten, E.B., and Sharma, J.N. Characteristics and response differences to iontophoretically applied norepinephrine, D-amphetamine and acetylcholine on neurons in the medial and lateral vestibular nuclei of the cat. Brain Res. 112 (1976) : 77-90.

Lewis, M.R., Gallagher, J.P., and Shinnick-Gallagher, P. An in vitro brain slice preparation to study the pharmacology

of central vestibular neurons. J. Pharmac. Meth. 18 (1987) : 267-273.

\_\_\_\_\_, Phelan, K.D., Shinnick-Gallagher, P., and Gallagher, J.P. Primary afferent excitatory transmission recorded intracellularly in vitro from rat medial vestibular neurons. Synapse. 3 (1989) : 149-153.

Lindroth, P., and Mopper, K. High performance liquid chromatographic determination of subpicomole amounts of amino acids by precolumn fluorescence derivatization with o-phthaldialdehyde. Anal. Chem. 51 (1979) : 1667-1674.

McGeer, P.L., Eccles, J., and McGeer, E.G. Putative excitatory neurons : glutamate and aspartate. In P.L. McGeer (ed.), Molecular neurobiology of the mammalian brain, pp. 175-196. New York and London : Plenum Press, 1987.

Mugnaini, E., Walberg, F., and Brodal, A. Mode of termination of primary vestibular fibers in the lateral vestibular nucleus. An experiment electron microscopical study. Exp. Brain Res. 4 (1967) ; 187-211.

Newland, S.D., and Perachino, A.A. Compensation of horizontal canal related activity in the medial vestibular nucleus following unilateral labyrinth ablation in the decerebrate gerbil. Exp. Brain Res. 82 (1990) ; 359-383.

- Pellergrino, J.L., Pellergrino, A.S., and Cushman, A.J. A stereotaxic atlas of the rat brain. Plenum Press, New York, 1979.
- Raymond, J., Nieoullon, A., Dememes, D., and Sans, A. Evidence for glutamate as a neurotransmitter in the cat vestibular nerve : radioautographic and biochemical studies. Exp. Brain Res. 56 (1984) : 523-531.
- Sanberg, M., Hagberg, H., Jacopson, I., Karlsson, B., Lehmann, A., and Hamberger, A. Analysis of amino acids : neurochemical application. Life Sci. 41 (1987) : 829-832.
- Sangchantra, R. Electrophysiological study of primary afferent transmission in vestibular neurons. Master's Thesis, Chulalongkorn University, 1986.
- Shimazu, H., and Precht, W. Tonic and kinetic responses of cat's vestibular neurones to horizontal angular acceleration. J. Neurophysiol. 28 (1965) : 991-1013.
- Tarlov, E. Organization of vestibulo-oculomotor projections in the cat. Brain Res. 20 (1970) : 159-179.
- Tossman, U., and Ungerstedt, U. Microdialysis in the study of extracellular levels of amino acids in the rat brain. Acta Physiol. Scand. 128 (1986) : 9-14.
- Touati, J., Raymond, J., and Dememes, D. Quantitative autoradiographic characterization of L-[<sup>3</sup>H] glutamate

binding sites in rat vestibular nuclei. Exp. Brain Res. 76 (1989) : 646-650.

Ungerstedt, U. Measurement of neurotransmitter release by intracranial dialysis. In C.A. Marsden (ed.), Measurement of neurotransmitter release in vivo , pp. 81-105. Willey : New York, 1984.

Waele, C.D., Graft, W., Josset, P., and Vidal, P.P. A radiological analysis of the postural syndromes following hemilabyrinthectomy and selective canal and otolith lesions in the guinea pig. Exp. Brain Res. 77 (1989) : 166-182.

\_\_\_\_\_, Vibert, N., Baudrimont, M., and Vidal, P.P. NMDA receptors contribute to resting discharge of vestibular neurons in the normal and hemilabyrinthectomized guinea pig. Exp. Brain Res. 81 (1990) : 125-133.

Wages, A., Church. W.H., and Justice, J.B. Sampling considerations on-line microbore liquid chromatography of brain dialysate. Anal. Chem. 58 (1986) : 1649-1656.

Walberg, F., Bowsher, D., and Brodal, A. The termination of primary vestibular fibers in the vestibular nuclei in the cat. An experimental study with silver methods. J. Comp. Neurol. 110 (1958) : 391-419.

Watkins, J.C., Krogsaard-Larsen, P., and Honore, T. Structure-activity relationships in the development of excitatory amino acids. TIPs. 11 (1991) : 25-33.

\_\_\_\_\_, and Olverman, H.J. Agonists and antagonists for excitatory amino acid receptors. TINS. 10 (1987) :265-272.

Warunee, W. Amino acids as possible vestibular primary afferent transmitter. Master's Thesis, Chulalongkorn University, 1987.

Wilson, V.J. Physiological pathways through the vestibular nuclei. Int. Rev. Neurobiol. 15 (1972) : 27-81.

Xerri, C., Gianni, S., Manzoni, D., and Pompeiano, O. Central compensation of vestibular deficits. I. Response characteristics of lateral vestibular neurons to roll tilt after ipsilateral labyrinth deafferentation. J.Neurophysio. 50 (1983) : 428-448.



## VITA

Miss. Pornnarin Kittisophon was born on 31<sup>th</sup> December 1968 at Bangkok. She graduated Bachelor of Science (Honour 2) in Biology from Faculty of Science, Silpakorn University in 1990.

